

# The Complexity of Stochastic Müller Games



*Krishnendu Chatterjee*

Electrical Engineering and Computer Sciences  
University of California at Berkeley

Technical Report No. UCB/EECS-2006-141  
<http://www.eecs.berkeley.edu/Pubs/TechRpts/2006/EECS-2006-141.html>

November 6, 2006

Copyright © 2006, by the author(s).  
All rights reserved.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission.

#### Acknowledgement

This research was supported in part by the AFOSR MURI grant F49620-00-1-0327, and the NSF grant CCR-0225610.

# The Complexity of Stochastic Müller Games \*

Krishnendu Chatterjee  
EECS, University of California, Berkeley, USA  
`c_krish@cs.berkeley.edu`

November 6, 2006

## Abstract

The theory of graph games with  $\omega$ -regular winning conditions is the foundation for modeling and synthesizing reactive processes. In the case of stochastic reactive processes, the corresponding stochastic graph games have three players, two of them (System and Environment) behaving adversarially, and the third (Uncertainty) behaving probabilistically. We consider two problems for stochastic graph games: the *qualitative* problem asks for the set of states from which a player can win with probability 1 (*almost-sure winning*); and the *quantitative* problem asks for the maximal probability of winning (*optimal winning*) from each state. We consider  $\omega$ -regular winning conditions formalized as Müller winning conditions. We present optimal memory bounds for *pure* (deterministic) almost-sure winning and optimal winning strategies in stochastic graph games with Müller winning conditions. We also present improved memory bounds for randomized almost-sure winning and optimal strategies. We study the complexity of stochastic Müller games and show that the quantitative analysis problem is PSPACE-complete. Our results are relevant in synthesis of stochastic reactive processes.

---

\*This research was supported in part by the AFOSR MURI grant F49620-00-1-0327, and the NSF grant CCR-0225610.

# 1 Introduction

A stochastic graph game [6] is played on a directed graph with three kinds of states: player-1, player-2, and probabilistic states. At player-1 states, player 1 chooses a successor state; at player-2 states, player 2 chooses a successor state; and at probabilistic states, a successor state is chosen according to a given probability distribution. The result of playing the game forever is an infinite path through the graph. If there are no probabilistic states, we refer to the game as a *2-player graph game*; otherwise, as a *2½-player graph game*. There has been a long history of using 2-player graph games for modeling and synthesizing reactive processes [1, 20, 22]: a reactive system and its environment represent the two players, whose states and transitions are specified by the states and edges of a game graph. Consequently, 2½-player graph games provide the theoretical foundation for modeling and synthesizing processes that are both reactive and stochastic [12, 21].

For the modeling and synthesis (or “control”) of reactive processes, one traditionally considers  $\omega$ -regular winning conditions, which naturally express the temporal specifications and fairness assumptions of transition systems [16]. This paper focuses on 2½-player graph games with respect to an important normal form of  $\omega$ -regular winning conditions; namely *Müller* winning conditions [23].

In the case of 2-player graph games, where no randomization is involved, a fundamental determinacy result of Gurevich and Harrington [13] based on LAR (*latest appearance record*) construction ensures that, given an  $\omega$ -regular winning condition, at each state, either player 1 has a strategy to ensure that the condition holds, or player 2 has a strategy to ensure that the condition does not hold. Thus, the problem of solving 2-player graph games consists in finding the set of *winning states*, from which player 1 can ensure that the condition holds. Along with the computation of the winning states, the characterization of complexity of winning strategies is a central question, since the winning strategies represent the implementation of the controller in the synthesis problem. The elegant algorithm of Zielonka [24] uses the LAR construction to compute winning sets in 2-player graph games with Müller conditions. In [9] the authors present an insightful analysis of Zielonka’s algorithm to present optimal memory bounds (matching upper and lower bound) for winning strategies in 2-player graph games with Müller conditions.

In the case of 2½-player graph games, where randomization is present in the transition structure, the notion of winning needs to be clarified. Player 1 is said to *win surely* if she has a strategy that guarantees to achieve the winning condition against all player-2 strategies. While this is the classical notion of winning in the 2-player case, it is less meaningful in the presence of probabilistic states, because it makes all probabilistic choices adversarial (it treats them analogously to player-2 choices). To adequately treat probabilistic choice, we consider the *probability* with which player 1 can ensure that the winning condition is met. We thus define two solution problems for 2½-player graph games: the *qualitative* problem asks for the set of states from which player 1 can ensure winning with probability 1; the *quantitative* problem asks for the maximal probability with which player 1 can ensure winning from each state (this probability is called the *value* of the game at a state). Correspondingly, we define *almost-sure winning strategies*, which enable player 1 to win with probability 1 whenever possible, and *optimal strategies*, which enable player 1 to win with maximal probability. The main result of this paper is an optimal memory bound for pure (deterministic) almost-sure and optimal strategies in 2½-player graph games with Müller conditions. In fact we generalize the elegant analysis of [9] to present an upper bound for optimal strategies for 2½-player graph games with Müller conditions that matches the lower bound for sure winning in 2-player games. As a consequence we generalize several results known for 2½-player graph games: such as existence of pure memoryless optimal strategies for *parity* conditions [5, 25, 18] and Rabin

conditions [4]. We present the result for almost-sure strategies in Section 3; and then generalize it to optimal strategies in Section 4. The results developed also help us to precisely characterize the complexity of several classes of  $2^{1/2}$ -player Müller games. We show that the complexity of quantitative analysis of  $2^{1/2}$ -player games with Müller objectives is PSPACE complete. We also show that for two special classes of Müller objectives (namely, union-closed and upward-closed objectives) the problem is coNP-complete. We also study the memory bounds for randomized strategies. In case of randomized strategies we improve the upper bound for almost-sure and optimal strategies as compared to pure strategies (Section 5). The problem of a matching upper and lower bound for almost-sure and optimal randomized strategies remains open.

## 2 Definitions

We consider several classes of turn-based games, namely, two-player turn-based probabilistic games ( $2^{1/2}$ -player games), two-player turn-based deterministic games (2-player games), and Markov decision processes ( $1^{1/2}$ -player games).

**Notation.** For a finite set  $A$ , a *probability distribution* on  $A$  is a function  $\delta: A \rightarrow [0, 1]$  such that  $\sum_{a \in A} \delta(a) = 1$ . We denote the set of probability distributions on  $A$  by  $\mathcal{D}(A)$ . Given a distribution  $\delta \in \mathcal{D}(A)$ , we denote by  $\text{Supp}(\delta) = \{x \in A \mid \delta(x) > 0\}$  the *support* of  $\delta$ .

**Game graphs.** A *turn-based probabilistic game graph* ( $2^{1/2}$ -player game graph)  $G = ((S, E), (S_1, S_2, S_\circlearrowright), \delta)$  consists of a directed graph  $(S, E)$ , a partition  $(S_1, S_2, S_\circlearrowright)$  of the finite set  $S$  of states, and a probabilistic transition function  $\delta: S_\circlearrowright \rightarrow \mathcal{D}(S)$ , where  $\mathcal{D}(S)$  denotes the set of probability distributions over the state space  $S$ . The states in  $S_1$  are the *player-1* states, where player 1 decides the successor state; the states in  $S_2$  are the *player-2* states, where player 2 decides the successor state; and the states in  $S_\circlearrowright$  are the *probabilistic* states, where the successor state is chosen according to the probabilistic transition function  $\delta$ . We assume that for  $s \in S_\circlearrowright$  and  $t \in S$ , we have  $(s, t) \in E$  iff  $\delta(s)(t) > 0$ , and we often write  $\delta(s, t)$  for  $\delta(s)(t)$ . For technical convenience we assume that every state in the graph  $(S, E)$  has at least one outgoing edge. For a state  $s \in S$ , we write  $E(s)$  to denote the set  $\{t \in S \mid (s, t) \in E\}$  of possible successors. The size of a game graph  $G = ((S, E), (S_1, S_2, S_\circlearrowright), \delta)$  is

$$|G| = |S| + |E| + \sum_{t \in S} \sum_{s \in S_\circlearrowright} |\delta(s)(t)|;$$

where  $|\delta(s)(t)|$  denotes the space to represent the transition probability  $\delta(s)(t)$  in binary.

A set  $U \subseteq S$  of states is called  $\delta$ -closed if for every probabilistic state  $u \in U \cap S_\circlearrowright$ , if  $(u, t) \in E$ , then  $t \in U$ . The set  $U$  is called  $\delta$ -live if for every nonprobabilistic state  $s \in U \cap (S_1 \cup S_2)$ , there is a state  $t \in U$  such that  $(s, t) \in E$ . A  $\delta$ -closed and  $\delta$ -live subset  $U$  of  $S$  induces a *subgame graph* of  $G$ , indicated by  $G \upharpoonright U$ .

The *turn-based deterministic game graphs* (2-player game graphs) are the special case of the  $2^{1/2}$ -player game graphs with  $S_\circlearrowright = \emptyset$ . The *Markov decision processes* ( $1^{1/2}$ -player game graphs) are the special case of the  $2^{1/2}$ -player game graphs with  $S_1 = \emptyset$  or  $S_2 = \emptyset$ . We refer to the MDPs with  $S_2 = \emptyset$  as *player-1 MDPs*, and to the MDPs with  $S_1 = \emptyset$  as *player-2 MDPs*.

**Plays and strategies.** An infinite path, or *play*, of the game graph  $G$  is an infinite sequence  $\omega = \langle s_0, s_1, s_2, \dots \rangle$  of states such that  $(s_k, s_{k+1}) \in E$  for all  $k \in \mathbb{N}$ . We write  $\Omega$  for the set of all plays, and for a state  $s \in S$ , we write  $\Omega_s \subseteq \Omega$  for the set of plays that start from the state  $s$ .

A *strategy* for player 1 is a function  $\sigma: S^* \cdot S_1 \rightarrow \mathcal{D}(S)$  that assigns a probability distribution to all finite sequences  $\vec{w} \in S^* \cdot S_1$  of states ending in a player-1 state (the sequence represents a prefix of a play). Player 1 follows the strategy  $\sigma$  if in each player-1 move, given that the current history of the game is  $\vec{w} \in S^* \cdot S_1$ , she chooses the next state according to the probability distribution  $\sigma(\vec{w})$ . A strategy must prescribe only available moves, i.e., for all  $\vec{w} \in S^*$ , and  $s \in S_1$  we have  $\text{Supp}(\sigma(\vec{w} \cdot s)) \subseteq E(s)$ . The strategies for player 2 are defined analogously. We denote by  $\Sigma$  and  $\Pi$  the set of all strategies for player 1 and player 2, respectively.

Once a starting state  $s \in S$  and strategies  $\sigma \in \Sigma$  and  $\pi \in \Pi$  for the two players are fixed, the outcome of the game is a random walk  $\omega_s^{\sigma, \pi}$  for which the probabilities of events are uniquely defined, where an *event*  $\mathcal{A} \subseteq \Omega$  is a measurable set of paths. Given strategies  $\sigma$  for player 1 and  $\pi$  for player 2, a play  $\omega = \langle s_0, s_1, s_2, \dots \rangle$  is *feasible* if for every  $k \in \mathbb{N}$  the following three conditions hold: (1) if  $s_k \in S_0$ , then  $(s_k, s_{k+1}) \in E$ ; (2) if  $s_k \in S_1$ , then  $\sigma(s_0, s_1, \dots, s_k)(s_{k+1}) > 0$ ; and (3) if  $s_k \in S_2$  then  $\pi(s_0, s_1, \dots, s_k)(s_{k+1}) > 0$ . Given two strategies  $\sigma \in \Sigma$  and  $\pi \in \Pi$ , and a state  $s \in S$ , we denote by  $\text{Outcome}(s, \sigma, \pi) \subseteq \Omega_s$  the set of feasible plays that start from  $s$  given strategies  $\sigma$  and  $\pi$ . For a state  $s \in S$  and an event  $\mathcal{A} \subseteq \Omega$ , we write  $\Pr_s^{\sigma, \pi}(\mathcal{A})$  for the probability that a path belongs to  $\mathcal{A}$  if the game starts from the state  $s$  and the players follow the strategies  $\sigma$  and  $\pi$ , respectively. In the context of player-1 MDPs we often omit the argument  $\pi$ , because  $\Pi$  is a singleton set.

We classify strategies according to their use of randomization and memory. The strategies that do not use randomization are called *pure*. A player-1 strategy  $\sigma$  is *pure* if for all  $\vec{w} \in S^*$  and  $s \in S_1$ , there is a state  $t \in S$  such that  $\sigma(\vec{w} \cdot s)(t) = 1$ . We denote by  $\Sigma^P \subseteq \Sigma$  the set of pure strategies for player 1. A strategy that is not necessarily pure is called *randomized*. Let  $M$  be a set called *memory*, that is,  $M$  is a set of memory elements. A player-1 strategy  $\sigma$  can be described as a pair of functions  $\sigma = (\sigma_u, \sigma_m)$ : a *memory-update* function  $\sigma_u: S \times M \rightarrow M$  and a *next-move* function  $\sigma_m: S_1 \times M \rightarrow \mathcal{D}(S)$ . We can think of strategies with memory as input/output automaton computing the strategies (see [9] for details). The strategy  $(\sigma_u, \sigma_m)$  is *finite-memory* if the memory  $M$  is finite, and then we denote the size of the memory of the strategy  $\sigma$  by the size of its memory  $M$ , i.e.,  $|M|$ . We denote by  $\Sigma^F$  the set of finite-memory strategies for player 1, and by  $\Sigma^{PF}$  the set of *pure finite-memory* strategies; that is,  $\Sigma^{PF} = \Sigma^P \cap \Sigma^F$ . The strategy  $(\sigma_u, \sigma_m)$  is *memoryless* if  $|M| = 1$ ; that is, the next move does not depend on the history of the play but only on the current state. A memoryless player-1 strategy can be represented as a function  $\sigma: S_1 \rightarrow \mathcal{D}(S)$ . A *pure memoryless strategy* is a pure strategy that is memoryless. A pure memoryless strategy for player 1 can be represented as a function  $\sigma: S_1 \rightarrow S$ . We denote by  $\Sigma^M$  the set of memoryless strategies for player 1, and by  $\Sigma^{PM}$  the set of pure memoryless strategies; that is,  $\Sigma^{PM} = \Sigma^P \cap \Sigma^M$ . Analogously we define the corresponding strategy families  $\Pi^P$ ,  $\Pi^F$ ,  $\Pi^{PF}$ ,  $\Pi^M$ , and  $\Pi^{PM}$  for player 2.

Given a finite-memory strategy  $\sigma \in \Sigma^F$ , let  $G_\sigma$  be the game graph obtained from  $G$  under the constraint that player 1 follows the strategy  $\sigma$ . The corresponding definition  $G_\pi$  for a player-2 strategy  $\pi \in \Pi^F$  is analogous, and we write  $G_{\sigma, \pi}$  for the game graph obtained from  $G$  if both players follow the finite-memory strategies  $\sigma$  and  $\pi$ , respectively. Observe that given a 2<sup>1/2</sup>-player game graph  $G$  and a finite-memory player-1 strategy  $\sigma$ , the result  $G_\sigma$  is a player-2 MDP. Similarly, for a player-1 MDP  $G$  and a finite-memory player-1 strategy  $\sigma$ , the result  $G_\sigma$  is a Markov chain. Hence, if  $G$  is a 2<sup>1/2</sup>-player game graph and the two players follow finite-memory strategies  $\sigma$  and  $\pi$ , the result  $G_{\sigma, \pi}$  is a Markov chain. These observations will be useful in the analysis of 2<sup>1/2</sup>-player games.

**Objectives.** An *objective* for a player consists of an  $\omega$ -regular set of *winning plays*  $\Phi \subseteq \Omega$  [23]. In

this paper we study zero-sum games [12, 21], where the objectives of the two players are complementary; that is, if the objective of one player is  $\Phi$ , then the objective of the other player is  $\bar{\Phi} = \Omega \setminus \Phi$ . We consider  $\omega$ -regular objectives specified as Müller objectives. For a play  $\omega = \langle s_0, s_1, s_2, \dots \rangle$ , let  $\text{Inf}(\omega)$  be the set  $\{ s \in S \mid s = s_k \text{ for infinitely many } k \geq 0 \}$  of states that appear infinitely often in  $\omega$ . We use colors to define objectives as in [9]. A  $2^{1/2}$ -player game  $(G, C, \chi, \mathcal{F} \subseteq \mathcal{P}(C))$  consists of a  $2^{1/2}$ -player game graph  $G$ , a finite set  $C$  of colors, a partial function  $\chi : S \rightharpoonup C$  that assigns colors to some states, and a winning condition specified by a subset  $\mathcal{F}$  of the power set  $\mathcal{P}(C)$  of colors. The winning condition defines subset  $\Phi \subseteq \Omega$  of winning plays, defined as follows:

$$\text{Müller}(\mathcal{F}) = \{ \omega \in \Omega \mid \chi(\text{Inf}(\omega)) \in \mathcal{F} \}$$

that is the set of paths  $\omega$  such that the colors appearing infinitely often in  $\omega$  is in  $\mathcal{F}$ .

**Remarks.** A winning condition  $\mathcal{F} \subseteq \mathcal{P}(C)$  has a *split* if there are sets  $C_1, C_2 \in \mathcal{F}$  such that  $C_1 \cup C_2 \notin \mathcal{F}$ . A winning condition is a *Rabin winning* condition if it do not have splits, and it is a *Streett winning* condition if  $\mathcal{P}(C) \setminus \mathcal{F}$  does not have a split. This notions coincide with the Rabin and Streett winning conditions usually defined in the literature (see [19, 9] for details). We now define the reachability, safety, Büchi and coBüchi objectives that will be useful in our proofs.

- *Reachability and safety objectives.* Given a set  $T \subseteq S$  of “target” states, the reachability objective requires that some state of  $T$  be visited. The set of winning plays is thus  $\text{Reach}(T) = \{ \omega = \langle s_0, s_1, s_2, \dots \rangle \in \Omega \mid s_k \in T \text{ for some } k \geq 0 \}$ . Given a set  $F \subseteq S$ , the safety objective requires that only states of  $F$  be visited. Thus, the set of winning plays is  $\text{Safe}(F) = \{ \omega = \langle s_0, s_1, s_2, \dots \rangle \in \Omega \mid s_k \in F \text{ for all } k \geq 0 \}$ .
- *Büchi and coBüchi objectives.* Given a set  $B \subseteq S$  of “Büchi” states, the Büchi objective requires that  $B$  is visited infinitely often. Formally, the set of winning plays is  $\text{Büchi}(B) = \{ \omega \in \Omega \mid \text{Inf}(\omega) \cap B \neq \emptyset \}$ . Given  $C \subseteq S$ , the coBüchi objective requires that all states visited infinitely often are in  $C$ . Formally, the set of winning plays is  $\text{coBüchi}(C) = \{ \omega \in \Omega \mid \text{Inf}(\omega) \subseteq C \}$ .

**Sure, almost-sure, positive winning and optimality.** Given a player-1 objective  $\Phi$ , a strategy  $\sigma \in \Sigma$  is *sure winning* for player 1 from a state  $s \in S$  if for every strategy  $\pi \in \Pi$  for player 2, we have  $\text{Outcome}(s, \sigma, \pi) \subseteq \Phi$ . A strategy  $\sigma$  is *almost-sure winning* for player 1 from the state  $s$  for the objective  $\Phi$  if for every player-2 strategy  $\pi$ , we have  $\Pr_s^{\sigma, \pi}(\Phi) = 1$ . A strategy  $\sigma$  is *positive winning* for player 1 from the state  $s$  for the objective  $\Phi$  if for every player-2 strategy  $\pi$ , we have  $\Pr_s^{\sigma, \pi}(\Phi) > 0$ . The sure, almost-sure and positive winning strategies for player 2 are defined analogously. Given an objective  $\Phi$ , the *sure winning set*  $\langle\langle 1 \rangle\rangle_{\text{sure}}(\Phi)$  for player 1 is the set of states from which player 1 has a sure winning strategy. Similarly, the *almost-sure winning set*  $\langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi)$  and the *positive winning set*  $\langle\langle 1 \rangle\rangle_{\text{pos}}(\Phi)$  for player 1 is the set of states from which player 1 has an almost-sure winning and a positive winning strategy, respectively. The sure winning set  $\langle\langle 2 \rangle\rangle_{\text{sure}}(\Omega \setminus \Phi)$ , the almost-sure winning set  $\langle\langle 2 \rangle\rangle_{\text{almost}}(\Omega \setminus \Phi)$  and the positive winning set  $\langle\langle 2 \rangle\rangle_{\text{pos}}(\Omega \setminus \Phi)$  for player 2 are defined analogously. It follows from the definitions that for all  $2^{1/2}$ -player game graphs and all objectives  $\Phi$ , we have  $\langle\langle 1 \rangle\rangle_{\text{sure}}(\Phi) \subseteq \langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi) \subseteq \langle\langle 1 \rangle\rangle_{\text{pos}}(\Phi)$ . Computing sure, almost-sure and positive winning sets and strategies is referred to as the *qualitative* analysis of  $2^{1/2}$ -player games [10].

Given  $\omega$ -regular objectives  $\Phi \subseteq \Omega$  for player 1 and  $\Omega \setminus \Phi$  for player 2, we define the *value* functions  $\langle\langle 1 \rangle\rangle_{\text{val}}$  and  $\langle\langle 2 \rangle\rangle_{\text{val}}$  for the players 1 and 2, respectively, as the following functions from the state

space  $S$  to the interval  $[0, 1]$  of reals: for all states  $s \in S$ , let  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) = \sup_{\sigma \in \Sigma} \inf_{\pi \in \Pi} \text{Pr}_s^{\sigma, \pi}(\Phi)$  and  $\langle\langle 2 \rangle\rangle_{val}(\Omega \setminus \Phi)(s) = \sup_{\pi \in \Pi} \inf_{\sigma \in \Sigma} \text{Pr}_s^{\sigma, \pi}(\Omega \setminus \Phi)$ . In other words, the value  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s)$  gives the maximal probability with which player 1 can achieve her objective  $\Phi$  from state  $s$ , and analogously for player 2. The strategies that achieve the value are called optimal: a strategy  $\sigma$  for player 1 is *optimal* from the state  $s$  for the objective  $\Phi$  if  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) = \inf_{\pi \in \Pi} \text{Pr}_s^{\sigma, \pi}(\Phi)$ . The optimal strategies for player 2 are defined analogously. Computing values and optimal strategies is referred to as the *quantitative* analysis of  $2^{1/2}$ -player games. The set of states with value 1 is called the *limit-sure winning set* [10]. For  $2^{1/2}$ -player game graphs with  $\omega$ -regular objectives the almost-sure and limit-sure winning sets coincide [4].

Let  $\mathcal{C} \in \{P, M, F, PM, PF\}$  and consider the family  $\Sigma^{\mathcal{C}} \subseteq \Sigma$  of special strategies for player 1. We say that the family  $\Sigma^{\mathcal{C}}$  *suffices* with respect to a player-1 objective  $\Phi$  on a class  $\mathcal{G}$  of game graphs for *sure winning* if for every game graph  $G \in \mathcal{G}$  and state  $s \in \langle\langle 1 \rangle\rangle_{sure}(\Phi)$ , there is a player-1 strategy  $\sigma \in \Sigma^{\mathcal{C}}$  such that for every player-2 strategy  $\pi \in \Pi$ , we have  $\text{Outcome}(s, \sigma, \pi) \subseteq \Phi$ . Similarly, the family  $\Sigma^{\mathcal{C}}$  *suffices* with respect to the objective  $\Phi$  on the class  $\mathcal{G}$  of game graphs for (a) *almost-sure winning* if for every game graph  $G \in \mathcal{G}$  and state  $s \in \langle\langle 1 \rangle\rangle_{almost}(\Phi)$ , there is a player-1 strategy  $\sigma \in \Sigma^{\mathcal{C}}$  such that for every player-2 strategy  $\pi \in \Pi$ , we have  $\text{Pr}_s^{\sigma, \pi}(\Phi) = 1$ ; (b) *positive winning* if for every game graph  $G \in \mathcal{G}$  and state  $s \in \langle\langle 1 \rangle\rangle_{pos}(\Phi)$ , there is a player-1 strategy  $\sigma \in \Sigma^{\mathcal{C}}$  such that for every player-2 strategy  $\pi \in \Pi$ , we have  $\text{Pr}_s^{\sigma, \pi}(\Phi) > 0$ ; and (c) *optimality* if for every game graph  $G \in \mathcal{G}$  and state  $s \in S$ , there is a player-1 strategy  $\sigma \in \Sigma^{\mathcal{C}}$  such that  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) = \inf_{\pi \in \Pi} \text{Pr}_s^{\sigma, \pi}(\Phi)$ . The notion of sufficiency for size of finite-memory strategies is obtained by referring to the size of the memory  $M$  of the strategies. The notions of sufficiency of strategies for player 2 is defined analogously.

**Determinacy.** For sure winning, the  $1^{1/2}$ -player and  $2^{1/2}$ -player games coincide with 2-player (deterministic) games where the random player (who chooses the successor at the probabilistic states) is interpreted as an adversary, i.e., as player 2. Theorem 1 and Theorem 2 state the classical determinacy results for 2-player and  $2^{1/2}$ -player game graphs with Müller objectives. It follows from Theorem 2 that for all Müller objectives  $\Phi$ , for all  $\varepsilon > 0$ , there exists an  $\varepsilon$ -optimal strategy  $\sigma_\varepsilon$  for player 1 such that for all  $\pi$  and all  $s \in S$  we have  $\text{Pr}_s^{\sigma_\varepsilon, \pi}(\Phi) \geq \langle\langle 1 \rangle\rangle_{val}(\Phi)(s) - \varepsilon$ .

**Theorem 1 (Qualitative determinacy [13])** *For all 2-player game graphs and Müller objectives  $\Phi$ , we have  $\langle\langle 1 \rangle\rangle_{sure}(\Phi) \cap \langle\langle 2 \rangle\rangle_{sure}(\Omega \setminus \Phi) = \emptyset$  and  $\langle\langle 1 \rangle\rangle_{sure}(\Phi) \cup \langle\langle 2 \rangle\rangle_{sure}(\Omega \setminus \Phi) = S$ . Moreover, on 2-player game graphs, the family of pure finite-memory strategies suffices for sure winning with respect to Müller objectives.*

**Theorem 2 (Quantitative determinacy [17])** *For all  $2^{1/2}$ -player game graphs, for all Müller winning conditions  $\mathcal{F} \subseteq \mathcal{P}(C)$ , and all states  $s$ , we have  $\langle\langle 1 \rangle\rangle_{val}(\text{Müller}(\mathcal{F}))(s) + \langle\langle 2 \rangle\rangle_{val}(\Omega \setminus \text{Müller}(\mathcal{F}))(s) = 1$ .*

### 3 Optimal Memory Bound for Pure Qualitative Winning Strategies

In this section we present optimal memory bounds for pure strategies with respect to qualitative (almost-sure and positive) winning for  $2^{1/2}$ -player game graphs with Müller winning conditions. The result is obtained by a generalization of the result of [9] and depends on the novel constructions of Zielonka [24] for 2-player games. In [9] the authors use an insightful analysis of Zielonka's

construction to present an upper bound (and also a matching lower bound) on memory of sure winning strategies in 2-player games with Müller objectives. In this section we generalize the result of [9] to show that the same upper bound holds for qualitative winning strategies in  $2^{1/2}$ -player games with Müller objectives. We now introduce some notations and the Zielonka tree of a Müller condition.

**Notation.** Let  $\mathcal{F} \subseteq \mathcal{P}(C)$  be a winning condition. For  $D \subseteq C$  we define  $(\mathcal{F} \upharpoonright D) \subseteq \mathcal{P}(D)$  as the set  $\{ D' \in \mathcal{F} \mid D' \subseteq D \}$ . For a Müller condition  $\mathcal{F} \subseteq \mathcal{P}(C)$  we denote by  $\overline{\mathcal{F}}$  the complementary condition, i.e.,  $\overline{\mathcal{F}} = \mathcal{P}(C) \setminus \mathcal{F}$ . Similarly for an objective  $\Phi$  we denote by  $\overline{\Phi}$  the complementary objective, i.e.,  $\overline{\Phi} = \Omega \setminus \Phi$ .

**Definition 1 (Zielonka tree of a winning condition [24])** *The Zielonka tree of a winning condition  $\mathcal{F} \subseteq \mathcal{P}(C)$ , denoted  $\mathcal{Z}_{\mathcal{F},C}$ , is defined inductively as follows:*

1. If  $C \notin \mathcal{F}$ , then  $\mathcal{Z}_{\mathcal{F},C} = \mathcal{Z}_{\overline{\mathcal{F}},C}$ , where  $\overline{\mathcal{F}} = \mathcal{P}(C) \setminus \mathcal{F}$ .
2. If  $C \in \mathcal{F}$ , then the root of  $\mathcal{Z}_{\mathcal{F},C}$  is labeled with  $C$ . Let  $C_0, C_1, \dots, C_{k-1}$  be all the maximal sets in  $\{ X \notin \mathcal{F} \mid X \subseteq C \}$ . Then we attach to the root, as its subtrees, the Zielonka trees of  $\mathcal{F} \upharpoonright C_i$ , i.e.,  $\mathcal{Z}_{\mathcal{F} \upharpoonright C_i, C_i}$ , for  $i = 0, 1, \dots, k-1$ .

Hence the Zielonka tree is a tree with nodes labeled by sets of colors. A node of  $\mathcal{Z}_{\mathcal{F},C}$  is a 0-level node if it is labeled with a set from  $\mathcal{F}$ , otherwise it is a 1-level node. In the sequel we write  $\mathcal{Z}_{\mathcal{F}}$  to denote  $\mathcal{Z}_{\mathcal{F},C}$  if  $C$  is clear from the context. ■

**Definition 2 (The number  $m_{\mathcal{F}}$  of Zielonka tree)** *Let  $\mathcal{F} \subseteq \mathcal{P}(C)$  be a winning condition and  $\mathcal{Z}_{\mathcal{F}_0, C_0}, \mathcal{Z}_{\mathcal{F}_1, C_1}, \dots, \mathcal{Z}_{\mathcal{F}_{k-1}, C_{k-1}}$  be the subtrees attached to the root of the tree  $\mathcal{Z}_{\mathcal{F},C}$ , where  $\mathcal{F}_i = \mathcal{F} \upharpoonright C_i \subseteq \mathcal{P}(C_i)$  for  $i = 0, 1, \dots, k-1$ . We define the number  $m_{\mathcal{F}}$  inductively as follows*

$$m_{\mathcal{F}} = \begin{cases} 1 & \text{if } \mathcal{Z}_{\mathcal{F},C} \text{ does not have any subtrees,} \\ \max\{ m_{\mathcal{F}_0}, m_{\mathcal{F}_1}, \dots, m_{\mathcal{F}_{k-1}} \} & \text{if } C \notin \mathcal{F}, \text{(1-level node)} \\ \sum_{i=1}^{k-1} m_{\mathcal{F}_i} & \text{if } C \in \mathcal{F}, \text{(0-level node).} \end{cases}$$

Our goal is to show that for winning conditions  $\mathcal{F}$  pure finite-memory qualitative winning strategies of size  $m_{\mathcal{F}}$  exist in  $2^{1/2}$ -player games. This proves the upper bound. The results of [9] already established the matching lower bound for 2-player games. This establishes the optimal bound of memory of qualitative winning strategies for  $2^{1/2}$ -player games. We start with the key notion of *attractors* that will be crucial in our proofs.

**Definition 3 (Attractors)** *Given a  $2^{1/2}$ -player game graph  $G$  and a set  $U \subseteq S$  of states, such that  $G \upharpoonright U$  is a subgame, and  $T \subseteq S$  we define  $\text{Attr}_{1,\bigcirc}(T, U)$  as follows:*

$$\begin{aligned} T_0 &= T \cap U; \quad \text{and for } j \geq 0 \text{ we define } T_{j+1} \text{ from } T_j \text{ as} \\ T_{j+1} &= T_j \cup \{ s \in (S_1 \cup S_{\bigcirc}) \cap U \mid E(s) \cap T_j \neq \emptyset \} \cup \{ s \in S_2 \cap U \mid E(s) \cap U \subseteq T_j \}. \end{aligned}$$

and  $A = \text{Attr}_{1,\bigcirc}(T, U) = \bigcup_{j \geq 0} T_j$ . We obtain  $\text{Attr}_{2,\bigcirc}(T, U)$  by exchanging the roles of player 1 and player 2. A pure memoryless attractor strategy  $\sigma^A : (A \setminus T) \cap S_1 \rightarrow S$  for player 1 on  $A$  to  $T$  is as follows: for  $i > 0$  and a state  $s \in (T_i \setminus T_{i-1}) \cap S_1$ , the strategy  $\sigma^A(s) \in T_{i-1}$  chooses a successor in  $T_{i-1}$  (which exists by definition). ■

**Lemma 1 (Attractor properties)** *Let  $G$  be a  $2^{1/2}$ -player game graph and  $U \subseteq S$  be a set of states such that  $G \upharpoonright U$  is a subgame. For a set  $T \subseteq S$  of states, let  $Z = \text{Attr}_{1,\bigcirc}(T, U)$ . Then the following assertions hold.*

1.  $G \upharpoonright (U \setminus Z)$  is a subgame.
2. Let  $\sigma^Z$  be a pure memoryless attractor strategy for player 1. For all strategies  $\pi$  for player 2 in the subgame  $G \upharpoonright U$  and for all states  $s \in U$  we have
  - (a) if  $\Pr_s^{\sigma^Z, \pi}(\text{Reach}(Z)) > 0$ , then  $\Pr_s^{\sigma^Z, \pi}(\text{Reach}(T)) > 0$ ; and
  - (b) if  $\Pr_s^{\sigma^Z, \pi}(\text{Büchi}(Z)) > 0$ , then  $\Pr_s^{\sigma^Z, \pi}(\text{Büchi}(T) \mid \text{Büchi}(Z)) = 1$ .

**Proof.** We prove the following cases.

1. *Subgame property.* For a state  $s \in U \setminus Z$ , if  $s \in S_1 \cup S_{\bigcirc}$ , then  $E(s) \cap Z = \emptyset$ , (otherwise  $s$  would have been in  $Z$ ), i.e.,  $E(s) \cap U \subseteq U \setminus Z$ . For a state  $s \in S_2 \cap (U \setminus Z)$  we have  $E(s) \cap (U \setminus Z) \neq \emptyset$  (otherwise  $s$  would have been in  $Z$ ). It follows that  $G \upharpoonright (U \setminus Z)$  is a subgame.
2. We now prove the two cases.

- (a) *Positive probability reachability.* Let

$$\delta_{\min} = \min\{\delta(s)(t) \mid s \in S_{\bigcirc}, t \in S, \delta(s)(t) > 0\}.$$

Observe that  $\delta_{\min} > 0$ . Let  $Z = \bigcup_{i \geq 0} T_i$  with  $T_0 = T$ ; (as defined for attractors). Consider a strategy  $\sigma_{1,\bigcirc}^Z$  of both player 1 and the random player on  $Z$  as follows: player 1 follows an attractor strategy  $\sigma^Z$  on  $Z$  to  $T$  and for  $s \in (T_i \setminus T_{i-1}) \cap S_{\bigcirc}$ , the random player chooses a successor  $t \in T_{i-1}$ . Such a successor exists by definition, and observe that such a choice is made in the game with probability at least  $\delta_{\min}$ . The strategy  $\sigma_{1,\bigcirc}^Z$  ensures that for all states  $s \in Z$  and for all strategies  $\pi$  for player 2 in  $G \upharpoonright U$ , the set  $T \cap U$  is reached with in  $|Z|$ -steps. Given player 1 follows an attractor strategy  $\sigma^Z$ , the probability of the choice of  $\sigma_{1,\bigcirc}^Z$  is at least  $\delta_{\min}^{|Z|}$ . It follows that a pure memoryless attractor strategy  $\sigma^Z$  ensures that for all states  $s \in Z$  and for all strategies  $\pi$  for player 2 in  $G \upharpoonright U$  we have

$$\Pr_s^{\sigma^Z, \pi}(\text{Reach}(T)) \geq (\delta_{\min})^{|Z|} > 0.$$

The desired result follows.

- (b) *Almost-sure Büchi property.* Given a pure memoryless attractor strategy  $\sigma^Z$ , if the set  $Z$  is visited  $\ell$ -times, then by the previous part we have that  $T$  is reached at least once with probability  $1 - (1 - |\delta_{\min}|^{|Z|})^\ell$ , which goes to 1 as  $\ell \rightarrow \infty$ . Hence for all states  $s$  and strategies  $\pi$  in  $G \upharpoonright U$ , given  $\Pr_s^{\sigma^Z, \pi}(\text{Büchi}(Z)) > 0$ , we have  $\Pr_s^{\sigma^Z, \pi}(\text{Reach}(T) \mid \text{Büchi}(Z)) = 1$ . Since given the event that  $Z$  is visited infinitely often (i.e.,  $\text{Büchi}(Z)$ ) the set  $T$  is reached with probability 1 from all states, it follows that the set  $T$  is visited infinitely often with probability 1. Formally, for all states  $s$  and strategies  $\pi$  in  $G \upharpoonright U$ , given  $\Pr_s^{\sigma^Z, \pi}(\text{Büchi}(Z)) > 0$ , we have  $\Pr_s^{\sigma^Z, \pi}(\text{Büchi}(T) \mid \text{Büchi}(Z)) = 1$ .

The result of the lemma follows. ■

Lemma 1 shows that the complement of an attractor is a subgame; and a pure memoryless attractor strategy ensures that if the attractor of a set  $T$  is reached with positive probability, then  $T$  is reached with positive probability, and given that the attractor of  $T$  is visited infinitely often, then  $T$  is visited infinitely often with probability 1. We now present the main result of this section (upper bound on memory for qualitative winning strategies). A matching lower bound follows from the results of [9] for 2-player games (see Theorem 4).

**Theorem 3 (Qualitative forgetful determinacy)** *Let  $(G, C, \chi, \mathcal{F})$  be a  $2^{1/2}$ -player game with Müller winning condition  $\mathcal{F}$  for player 1. Let  $\Phi = \text{Müller}(\mathcal{F})$ , and consider the following sets*

$$\begin{aligned} W_1^{>0} &= \langle\langle 1 \rangle\rangle_{\text{pos}}(\Phi); & W_1 &= \langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi); \\ W_2^{>0} &= \langle\langle 2 \rangle\rangle_{\text{pos}}(\overline{\Phi}); & W_2 &= \langle\langle 2 \rangle\rangle_{\text{almost}}(\overline{\Phi}). \end{aligned}$$

*The following assertions hold.*

1. *We have (a)  $W_1^{>0} \cup W_2 = S$  and  $W_1^{>0} \cap W_2 = \emptyset$ ; and (b)  $W_2^{>0} \cup W_1 = S$  and  $W_2^{>0} \cap W_1 = \emptyset$ .*
2. *(a) Player 1 has a pure strategy  $\sigma$  with memory of size  $m_{\mathcal{F}}$  such that for all states  $s \in W_1^{>0}$  and for all strategies  $\pi$  for player 2 we have  $\Pr_s^{\sigma, \pi}(\Phi) > 0$ ; and (b) player 2 has a pure strategy  $\pi$  with memory of size  $m_{\overline{\mathcal{F}}}$  such that for all states  $s \in W_2$  and for all strategies  $\sigma$  for player 1 we have  $\Pr_s^{\sigma, \pi}(\overline{\Phi}) = 1$ .*
3. *(a) Player 1 has a pure strategy  $\sigma$  with memory of size  $m_{\mathcal{F}}$  such that for all states  $s \in W_1$  and for all strategies  $\pi$  for player 2 we have  $\Pr_s^{\sigma, \pi}(\Phi) = 1$ ; and (b) player 2 has a pure strategy  $\pi$  with memory of size  $m_{\overline{\mathcal{F}}}$  such that for all states  $s \in W_2^{>0}$  and for all strategies  $\sigma$  for player 1 we have  $\Pr_s^{\sigma, \pi}(\overline{\Phi}) > 0$ .*

**Proof.** The first part of the result is a consequence of Theorem 2. We will concentrate on the proof for the result for part 2. The last part (part 3) follows from a symmetric argument.

The proof goes by induction on the structure of the Zielonka tree  $\mathcal{Z}_{\mathcal{F}, C}$  of the winning condition  $\mathcal{F}$ . We assume that  $C \notin \mathcal{F}$ . The case when  $C \in \mathcal{F}$  can be proved by a similar argument: if  $C \in \mathcal{F}$ , then we consider  $\widehat{C} \notin C$  and consider the winning condition  $\widehat{\mathcal{F}} = \mathcal{F} \subseteq \mathcal{P}(C \cup \{\widehat{C}\})$  with  $C \cup \{\widehat{C}\} \notin \widehat{\mathcal{F}}$ . Hence we consider, without loss of generality, that  $C \notin \mathcal{F}$  and let  $C_0, C_1, \dots, C_{k-1}$  be the label of the subtrees attached to the root  $C$ , i.e.,  $C_0, C_1, \dots, C_{k-1}$  are maximal subset of colors that appear in  $\mathcal{F}$ . We will define by induction a non-decreasing sequence of sets  $(U_j)_{j \geq 0}$  as follows. Let  $U_0 = \emptyset$  and for  $j > 0$  we define  $U_j$  below:

1.  $A_j = \text{Attr}_{1, \bigcirc}(U_{j-1}, S)$  and  $X_j = S \setminus A_j$ ;
2.  $D_j = C \setminus C_{j \bmod k}$  and  $Y_j = X_j \setminus \text{Attr}_{2, \bigcirc}(\chi^{-1}(D_j), X_j)$ ;
3. let  $Z_j$  be the set of positive winning states for player 1 in  $(G \upharpoonright Y_j, C_{j \bmod k}, \chi, \mathcal{F} \upharpoonright C_{j \bmod k})$ , (i.e.,  $Z_j = \langle\langle 1 \rangle\rangle_{\text{pos}}(\text{Müller}(\mathcal{F} \upharpoonright C_{j \bmod k}))$  in  $G \upharpoonright Y_j$ ); hence  $(Y_j \setminus Z_j)$  is almost-sure winning for player 2 in the subgame; and
4.  $U_j = A_j \cup Z_j$ .

Fig 1 describes all these sets. The property of attractors and almost-sure winning states ensure certain edges are forbidden between the sets. This is shown in Fig 2. We start with a few observations of the construction.




Figure 1: The sets of the construction.




Figure 2: The sets of the construction with forbidden edges.

1. *Observation 1.* For all  $s \in S_2 \cap Z_j$ , we have  $E(s) \subseteq Z_j \cup A_j$ . This follows from the following case analysis.
  - Since  $Y_j$  is a complement of an attractor set  $\text{Attr}_{2,\bigcirc}(\chi^{-1}(D_j), X_j)$ , it follows that for all states  $s \in S_2 \cap Y_j$  we have  $E(s) \cap X_j \subseteq Y_j$ . It follows that  $E(s) \subseteq Y_j \cup A_j$ .
  - Since player 2 can win almost-surely from the set  $Y_j \setminus Z_j$ , if a state  $s \in Y_j \setminus S_2$  has an edge to  $Y_j \setminus Z_j$ , then  $s \in Y_j \setminus Z_j$ . Hence for  $s \in S_2 \cap Z_j$  we have  $E(s) \cap (Y_j \setminus Z_j) = \emptyset$ .
2. *Observation 2.* For all  $s \in X_j \cap (S_1 \cup S_\bigcirc)$  we have (a)  $E(s) \cap A_j = \emptyset$ ; else  $s$  would have been in  $A_j$ ; and (b) if  $s \in Y_j \setminus Z_j$ , then  $E(s) \cap Z_j = \emptyset$  (else  $s$  would have been in  $Z_j$ ).
3. *Observation 3.* For all  $s \in Y_j \cap S_\bigcirc$  we have  $E(s) \subseteq Y_j$ .

We will denote by  $\mathcal{F}_i$  the winning condition  $\mathcal{F} \upharpoonright C_i$ , for  $i = 0, 1, \dots, k-1$ , and  $\overline{\mathcal{F}}_i = \mathcal{P}(C_i) \setminus \mathcal{F}_i$ . By induction hypothesis on  $\mathcal{F}_i = \mathcal{F} \upharpoonright C_j \bmod k$ , player 1 has a pure positive winning strategy of size  $m_{\mathcal{F}_i}$  from  $Z_j$  and player 2 has a pure almost-sure winning strategy of size  $m_{\overline{\mathcal{F}}_i}$  from  $Y_j \setminus Z_j$ .

Let  $W = \bigcup_{j \geq 0} U_j$ . We will show in Lemma 2 that player 1 has a pure positive winning strategy of size  $m_{\mathcal{F}}$  from  $W$ ; and then in Lemma 3 we will show that player 2 has a pure almost-sure winning strategy of size  $m_{\overline{\mathcal{F}}}$  from  $S \setminus W$ . This completes the proof. We now prove the Lemmas 2 and 3. ■

**Lemma 2** *Player 1 has a pure positive winning strategy of size  $m_{\mathcal{F}}$  from the set  $W$ .*

**Proof.** By induction hypothesis player 1 has a pure positive winning strategy  $\sigma_{j-1}^U$  of size  $m_{\mathcal{F}}$  from  $U_{j-1}$ . From the set  $A_j = \text{Attr}_{1,\bigcirc}(U_{j-1}, S)$ , player 1 has a pure memoryless attractor strategy  $\sigma_j^A$  to bring the game to  $U_{j-1}$  with positive probability (Lemma 1(part 2.(a))), and then use  $\sigma_{j-1}^U$  and ensure winning with positive probability from the set  $A_j$ . Let  $\sigma_j^Z$  be the pure positive winning strategy for player 1 in  $Z_j$  of size  $m_{\mathcal{F}_i}$ , where  $i = j \bmod k$ . We now show the combination of strategies  $\sigma_{j-1}^U$ ,  $\sigma_j^A$  and  $\sigma_j^Z$  ensure positive probability winning for player 1 from  $U_j$ . If the play starts at a state  $s \in Z_j$ , then player 1 follows  $\sigma_j^Z$ . If the play stays in  $Y_j$  for ever, then the strategy  $\sigma_j^Z$  ensures that player 1 wins with positive probability. By observation 1 of Theorem 3, for all states  $s \in Y_j \cap S_2$ , we have  $E(s) \subseteq Y_j \cup A_j$ . Hence if the play leaves  $Y_j$ , then player 2 must chose an edge to  $A_j$ . In  $A_j$  player 1 can use the attractor strategy  $\sigma_j^A$  followed by  $\sigma_{j-1}^U$  to ensure positive probability win. Hence if the play is in  $Y_j$  for ever with probability 1, then  $\sigma_j^Z$  ensures positive probability win, and if the play reaches  $A_j$  with positive probability, then  $\sigma_j^A$  followed by  $\sigma_{j-1}^U$  ensures positive probability win.

We now formally present  $\sigma_j^U$  defined on  $U_j$ . Let  $\sigma_j^Z = (\sigma_{j,u}^Z, \sigma_{j,m}^Z)$  be the strategy obtained from inductive hypothesis; defined on  $Z_j$  (i.e., arbitrary elsewhere) of size  $m_{\mathcal{F}_i}$ , where  $i = j \bmod k$ , and ensure winning with positive probability on  $Z_j$ . Let  $\sigma_{j,u}^Z$  be the memory-update function and  $\sigma_{j,m}^Z$  be the next-move function of  $\sigma_j^Z$ . We assume the memory  $M_{\mathcal{F}_i}$  of  $\sigma_j^Z$  to be the set  $\{1, 2, \dots, m_{\mathcal{F}_i}\}$ . The strategy  $\sigma_j^A : (A_j \setminus U_{j-1}) \cap S_1 \rightarrow A_j$  is a pure memoryless attractor strategy on  $A_j$  to  $U_{j-1}$ . The strategy  $\sigma_j^U$  is as follows: the memory-update function is

$$\sigma_{j,u}^U(s, m) = \begin{cases} \sigma_{j-1,u}^U(s, m) & s \in U_{j-1} \\ \sigma_{j-1,u}^Z(s, m) & s \in Z_j, m \in M_{\mathcal{F}_i} \\ 1 & \text{otherwise.} \end{cases}$$

the next-move function is

$$\sigma_{j,m}^U(s, m) = \begin{cases} \sigma_{j-1,m}^U(s, m) & s \in U_{j-1} \cap S_1 \\ \sigma_{j-1,m}^Z(s, m) & s \in Z_j \cap S_1, m \in M_{\mathcal{F}_i} \\ \sigma_{j-1,m}^Z(s, 1) & s \in Z_j \cap S_1, m \notin M_{\mathcal{F}_i} \\ \sigma_j^A(s) & s \in (A_j \setminus U_{j-1}) \cap S_1. \end{cases}$$

The strategy  $\sigma_j^U$  formally defines the strategy we described and proves the result. ■

**Lemma 3** *Player 2 has a pure almost-sure winning strategy of size  $m_{\overline{\mathcal{F}}}$  from the set  $S \setminus W$ .*

**Proof.** Let  $\ell \in \mathbb{N}$  be such that  $\ell \bmod k = 0$  and  $W = U_{\ell-1} = U_\ell = U_{\ell+1} = \dots = U_{\ell+k-1}$ . From the equality  $W = U_{\ell-1} = U_\ell$  we have  $\text{Attr}_{1,\bigcirc}(W, S) = W$ . Let us denote by  $\overline{W} = S \setminus W$ . Hence  $G \upharpoonright \overline{W}$  is a subgame (by Lemma 1), and also for all  $s \in \overline{W} \cap (S_1 \cup S_{\bigcirc})$  we have  $E(s) \subseteq \overline{W}$ . The equality  $U_{\ell+i-1} = U_{\ell+i}$  implies that  $Z_{\ell+i} = \emptyset$ . Hence for all  $i = 0, 1, \dots, k-1$ , we have  $Z_{\ell+i} = \emptyset$ .

By inductive hypothesis for all  $i = 0, 1, \dots, k-1$ , player 2 has a pure almost-sure winning strategy  $\pi^i$  of size  $m_{\bar{\mathcal{F}}_i}$  in the game  $(G \upharpoonright Y_{\ell+i}, C_i, \chi, \mathcal{F} \upharpoonright C_i)$ .

We now describe the construction of a pure almost-sure winning strategy  $\pi^*$  for player 2 in  $\bar{W}$ . For  $D_i = C \setminus C_i$  we denote by  $\hat{D}_i = \chi^{-1}(D_i)$  the set of states with colors  $D_i$ . If the play starts in a state in  $Y_{\ell+i}$ , for  $i = 0, 1, \dots, k-1$ , then player 2 uses the almost-sure winning strategy  $\pi^i$ . If the play leaves  $Y_{\ell+i}$ , then the play must reach  $\bar{W} \setminus Y_{\ell+i} = \text{Attr}_{2,\bigcirc}(\hat{D}_i, \bar{W})$ , since player 1 and random states do not have edges to  $W$ . In  $\text{Attr}_{2,\bigcirc}(\hat{D}_i, \bar{W})$ , player 2 plays a pure memoryless attractor strategy to reach the set  $\hat{D}_i$  with positive probability. If the set  $\hat{D}_i$  is reached, then a state in  $Y_{(\ell+i+1) \bmod k}$  or in  $\text{Attr}_{2,\bigcirc}(\hat{D}_{(i+1) \bmod k}, \bar{W})$  is reached. If  $Y_{(\ell+i+1) \bmod k}$  is reached  $\pi^{(i+1) \bmod k}$  is followed, and otherwise the pure memoryless attractor strategy to reach the set  $\hat{D}_{(i+1) \bmod k}$  with positive probability is followed. Of course, the play may leave  $Y_{(\ell+i+1) \bmod k}$ , and reach  $Y_{(\ell+i+2) \bmod k}$ , and then we would repeat the reasoning, and so on. Let us analyze various cases to prove that  $\pi^*$  is almost-sure winning for player 2.

1. If the play finally settles in some  $Y_{\ell+i}$ , for  $i = 0, 1, \dots, k-1$ , then from this moment player 2 follows  $\pi^i$  and ensures that the objective  $\bar{\Phi}$  is satisfied with probability 1. Formally, for all states  $s \in \bar{W}$ , for all strategies  $\sigma$  for player 1 we have  $\Pr_s^{\sigma, \pi^*}(\bar{\Phi} \mid \text{coBüchi}(Y_{\ell+i})) = 1$ . This holds for all  $i = 0, 1, \dots, k-1$  and hence for all states  $s \in \bar{W}$ , for all strategies  $\sigma$  for player 1 we have  $\Pr_s^{\sigma, \pi^*}(\bar{\Phi} \mid \bigcup_{0 \leq i \leq k-1} \text{coBüchi}(Y_{\ell+i})) = 1$ .
2. Otherwise, for all  $i = 0, 1, \dots, k-1$ , the set  $\bar{W} \setminus Y_{\ell+i} = \text{Attr}_{2,\bigcirc}(\hat{D}_i, \bar{W})$  is visited infinitely often. By Lemma 1, given  $\text{Attr}_{2,\bigcirc}(\hat{D}_i, \bar{W})$  is visited infinitely often, then the attractor strategy ensures that the set  $\hat{D}_i$  is visited infinitely often with probability 1. Formally, for all states  $s \in \bar{W}$ , for all strategies  $\sigma$  for player 1, for all  $i = 0, 1, \dots, k-1$ , we have  $\Pr_s^{\sigma, \pi^*}(\text{Büchi}(\hat{D}_i) \mid \text{Büchi}(\bar{W} \setminus Y_{\ell+i})) = 1$ ; and also  $\Pr_s^{\sigma, \pi^*}(\text{Büchi}(\hat{D}_i) \mid \bigcap_{0 \leq i \leq k-1} \text{Büchi}(\bar{W} \setminus Y_{\ell+i})) = 1$ . It follows that for all states  $s \in \bar{W}$ , for all strategies  $\sigma$  for player 1 we have  $\Pr_s^{\sigma, \pi^*}(\bigcap_{0 \leq i \leq k-1} \text{Büchi}(\hat{D}_i) \mid \bigcap_{0 \leq i \leq k-1} \text{Büchi}(\bar{W} \setminus Y_{\ell+i})) = 1$ . Hence the play visits states with colors not in  $C_i$  with probability 1. Hence the set of colors visited infinitely often is not contained in any  $C_i$ . Since  $C_0, C_1, \dots, C_{k-1}$  are all the maximal subsets of  $\mathcal{F}$ , we have the set of colors visited infinitely often is not in  $\mathcal{F}$  with probability 1, and hence player 2 wins almost-surely.

Hence it follows that for all strategies  $\sigma$  and for all states  $s \in (S \setminus W)$  we have  $\Pr_s^{\sigma, \pi^*}(\bar{\Phi}) = 1$ . To complete the proof we present precise description of the strategy  $\pi^*$  with memory of size  $m_{\bar{\mathcal{F}}}$ . Let  $\pi^i = (\pi_u^i, \pi_m^i)$  be an almost-sure winning strategy for player 2 for the subgame on  $Y_{\ell+i}$  with memory  $M_{\bar{\mathcal{F}}_i}$ . By definition we have  $m_{\bar{\mathcal{F}}} = \sum_{i=0}^{k-1} m_{\bar{\mathcal{F}}_i}$ . Let  $M_{\bar{\mathcal{F}}} = \bigcup_{i=0}^{k-1} (M_{\bar{\mathcal{F}}_i} \times \{i\})$ . This set is not exactly the set  $\{1, 2, \dots, m_{\mathcal{F}}\}$ , but has the same cardinality (which suffices for our purpose). We define the strategy  $\pi^*$  as follows:

$$\begin{aligned} \pi_u^*(s, (m, i)) &= \begin{cases} \pi_u^i(s, (m, i)) & s \in Y_{\ell+i} \\ (1, i+1 \bmod k) & \text{otherwise.} \end{cases} \\ \pi_m^*(s, (m, i)) &= \begin{cases} \pi_m^i(s, (m, i)) & s \in Y_{\ell+i} \\ \pi^{L_i}(s) & s \in L_i \setminus \hat{D}_i \\ s_i & s \in \hat{D}_i, s_i \in E(s) \cap \bar{W}. \end{cases} \end{aligned}$$

where  $L_i = \text{Attr}_{2,\bigcirc}(\widehat{D}_i, \overline{W})$ ;  $\pi^{L_i}$  is a pure memoryless attractor strategy on  $L_i$  to  $\widehat{D}_i$ , and  $s_i$  is a successor state of  $s$  in  $\overline{W}$  (such a state exists since  $\overline{W}$  induces a subgame). This formally represents  $\pi^*$  and the size of  $\pi^*$  satisfies the required bound. Observe that the disjoint sum of all  $M_{\overline{\mathcal{F}}_i}$  was required since  $Y_\ell, Y_{\ell+1}, \dots, Y_{\ell+k-1}$  may not be disjoint and the strategy  $\pi^*$  need to know which  $Y_j$  the play is in. ■

**Lower bound.** In [9] the authors show a matching lower bound for sure winning strategies in 2-player games. It may be noted that in 2-player games any pure almost-sure winning or any pure positive winning strategy is also a sure winning strategy. This observation along with the result of [9] gives us the following result.

**Theorem 4 (Lower bound [9])** *For all Müller winning conditions  $\mathcal{F} \subseteq \mathcal{P}(C)$ , there is a 2-player game  $(G, C, \chi, \mathcal{F})$  (with a 2-player game graph  $G$ ) such that every pure almost-sure and positive winning strategy for player 1 requires memory of size at least  $m_{\mathcal{F}}$ ; and every pure almost-sure and positive winning strategy for player 2 requires memory of size at least  $m_{\overline{\mathcal{F}}}$ .*

### 3.1 Complexity for qualitative analysis

We now present algorithms to compute the almost-sure and positive winning states for Müller objectives  $\text{Müller}(\mathcal{F})$  in  $2^{1/2}$ -player games. We will consider two cases: the case when  $C \in \mathcal{F}$  and when  $C \notin \mathcal{F}$ . We present the algorithm for the later case (which recursively calls the former case). Once the algorithm for the later case is obtained, we show how the algorithm can be iteratively used to solve the former case.

**Informal description of the algorithm.** We present an algorithm to compute the positive winning sets for player 1 and the almost-sure winning sets for player 2 for Müller objectives  $\text{Müller}(\mathcal{F})$  for player 1 in  $2^{1/2}$ -player game graphs. We consider the case with  $C \notin \mathcal{F}$  and refer to this algorithm as **MüllerQualitativeWithoutC** and the case when  $C \in \mathcal{F}$  we refer to the algorithm as **MüllerQualitativeWithC**. The algorithm proceeds iteratively removing positive winning sets for player 1: at iteration  $j$  the game graph is denoted as  $G^j$  and the set of states as  $S^j$ . The algorithm is described as Algorithm 1.

**Correctness.** If  $W_1$  and  $W_2$  are outputs of Algorithm 1, then  $W_1 = \langle\langle 1 \rangle\rangle_{pos}(\text{Müller}(\mathcal{F}))$  and  $W_2 = \langle\langle 2 \rangle\rangle_{almost}(\text{Müller}(\overline{\mathcal{F}}))$ . The correctness follows from the correctness arguments of Theorem 3. We now present an algorithm to compute the almost-sure winning states  $\langle\langle 1 \rangle\rangle_{almost}(\text{Müller}(\mathcal{F}))$  for player 1 and positive winning states  $\langle\langle 2 \rangle\rangle_{pos}(\text{Müller}(\overline{\mathcal{F}}))$  for player 2 for Müller objectives  $\text{Müller}(\mathcal{F})$  with  $C \notin \mathcal{F}$ . Once we present this algorithm, it is easy to exchange the roles of the players to obtain the algorithm **MüllerQualitativeWithC**. The algorithm to compute almost-sure winning states for player 1 for Müller objectives  $\text{Müller}(\mathcal{F})$  with  $C \notin \mathcal{F}$  proceeds as follows: the algorithm iteratively uses **MüllerQualitativeWithoutC** and runs for atmost  $|S|$  iterations. At iteration  $i$  the algorithm computes the almost-sure winning set  $A_2^j$  for player 2 in the present sub-game  $G^j$ , and the set of states such that player 2 can reach  $A_2^j$  with positive probability. The above set is removed from the game graph, and the algorithm iterates on a smaller game graph. The algorithm is formally described as Algorithm 2.

**Correctness.** Let  $W_1$  and  $W_2$  be the output of Algorithm 2, then  $W_1 = \langle\langle 1 \rangle\rangle_{almost}(\text{Müller}(\mathcal{F}))$  and  $W_2 = \langle\langle 2 \rangle\rangle_{pos}(\text{Müller}(\overline{\mathcal{F}}))$ . It is clear that  $W_2 \subseteq \langle\langle 2 \rangle\rangle_{pos}(\text{Müller}(\overline{\mathcal{F}}))$ . We now argue that  $W_1 = \langle\langle 1 \rangle\rangle_{almost}(\text{Müller}(\mathcal{F}))$  to complete the correctness arguments. When the algorithm terminates, let

---

**Algorithm 1** MüllerQualitativeWithoutC

---

**Input:** A  $2^{1/2}$ -player game graph  $G$ , a Müller objective  $\text{Müller}(\mathcal{F})$  for player 1, with  $\mathcal{F} \subseteq \mathcal{P}(C)$  and  $C \notin \mathcal{F}$ .

**Output:**  $W_1$  and  $W_2$ .

1. Let  $C_0, C_1, \dots, C_{k-1}$  be the maximal sets that appear in  $\mathcal{F}$ .
2.  $U_0 = \emptyset; j = 0; G^0 = G;$
3. **do** {
  - 3.1  $D_j = C \setminus C_{j \bmod k};$
  - 3.2  $Y_j = S^j \setminus \text{Attr}_{2,\bigcirc}(\chi^{-1}(D_j), S^j);$
  - 3.3  $(A_1^j, A_2^j) = \text{MüllerQualitativeWithC}(G^j \upharpoonright Y_j, \mathcal{F} \upharpoonright C_{j \bmod k});$
  - 3.4 **if**  $(A_1^j \neq \emptyset)$ 
    - 3.4.1  $U_{j+1} = U_j \cup \text{Attr}_{1,\bigcirc}(U_j \cup A_1^j, S^0);$
    - 3.4.2  $G^{j+1} = G \upharpoonright (S \setminus U_{j+1});$
  - 3.5  $j = j + 1;$
 } **while**  $(j \leq k \vee \neg(j \bmod k = 0 \wedge j > k \wedge \forall i. j - k \leq i \leq j. A_1^i = \emptyset))$ ;
4. **return**  $(W_1, W_2) = (U_j, S \setminus U_j).$

---

the game graph by  $G^j$ , and we have  $A_2^j = \emptyset$ . Then in  $G^j$ , player 1 wins with positive probability from all states. It follows from the results of [2] that if a player wins in a game with positive probability from all states for a Müller objective, then the player wins with value 1 from all states. It follows that  $W_1 = \langle\!\langle 1 \rangle\!\rangle_{\text{almost}}(\text{Müller}(\mathcal{F}))$ . The correctness follows.

**Time and space complexity.** We now argue that the space requirement for the algorithms are polynomial. Let us denote the space recurrence of Algorithm 1 as  $S(n, c)$  for game graphs with  $n$  states and Müller objectives  $\text{Müller}(\mathcal{F})$  with  $c$  colors (i.e.,  $\mathcal{F} \subseteq \mathcal{P}(C)$  with  $|C| = c$ ). Then the recurrence satisfies that  $S(n, c) = O(n) + S(n, c - 1) = O(n \cdot c)$ . The recurrence requires space for recursive calls with at least one less color (denoted by  $S(n, c - 1)$ ), and  $O(n)$  space for the computation of the loop of the algorithm. This gives a PSPACE upper bound, and a matching lower bound (of PSPACE-hardness) for the special case of 2-player game graphs is given in [14].

**Theorem 5 (Algorithm and complexity)** *The following assertions hold.*

1. *Given a game  $(G, C, \chi, \mathcal{F})$  Algorithm 1 and Algorithm 2 computes an almost-sure winning strategy and the almost-sure winning sets in  $O((|S| + |E|) \cdot d)^{h+1}$  time and  $O(|S| \cdot |C|)$  space; where  $d$  is the maximum degree of a node and  $h$  is the height of the Zielonka tree  $\mathcal{Z}_{\mathcal{F}}$ .*
2. *Given a game  $(G, C, \chi, \mathcal{F})$  and a state  $s$ , it is PSPACE-complete to decide whether  $s \in \langle\!\langle 1 \rangle\!\rangle_{\text{almost}}(\text{Müller}(\mathcal{F}))$ .*

## 4 Optimal Memory Bound for Pure Optimal Strategies

In this section we extend the sufficiency results for families of strategies from almost-sure winning to optimality with respect to all Müller objectives. In the following, we fix a  $2^{1/2}$ -player game

---

**Algorithm 2** MüllerQualitativeWithoutCIterative

---

**Input:** A  $2^{1/2}$ -player game graph  $G$ , a Müller objective  $\text{Müller}(\mathcal{F})$  for player 1, with  $\mathcal{F} \subseteq \mathcal{P}(C)$  and  $C \notin \mathcal{F}$ .

**Output:**  $W_1$  and  $W_2$ .

1. Let  $C_0, C_1, \dots, C_{k-1}$  be the maximal sets that appear in  $\mathcal{F}$ .
  2.  $X_0 = \emptyset; j = 0; G^0 = G;$
  3. **do** {
    - 3.1  $(A_1^j, A_2^j) = \text{MüllerQualitativeWithoutC}(G^j, \mathcal{F});$
    - 3.2 **if**  $(A_2^j \neq \emptyset);$ 
      - 3.2.1  $X_{j+1} = X_j \cup \text{Attr}_{2,\bigcirc}(X_j \cup A_2^j, S^0);$
      - 3.2.2  $G^{j+1} = G \upharpoonright (S \setminus X_{j+1});$
    - 3.5  $j = j + 1;$
  - } **while**  $(A_2^{j-1} \neq \emptyset);$
  4. **return**  $(W_1, W_2) = (S \setminus X_j, X_j).$
- 

graph  $G$ . We first present a useful proposition and then some definitions. Since Müller objectives are infinitary objectives (independent of finite prefixes) the following proposition is immediate.

**Proposition 1 (Optimality conditions)** *For all Müller objectives  $\Phi$ , for every  $s \in S$  the following conditions hold.*

1. *If  $s \in S_1$ , then for all  $t \in E(s)$  we have  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) \geq \langle\langle 1 \rangle\rangle_{val}(\Phi)(t)$ , and for some  $t \in E(s)$  we have  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) = \langle\langle 1 \rangle\rangle_{val}(\Phi)(t)$ .*
2. *If  $s \in S_2$ , then for all  $t \in E(s)$  we have  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) \leq \langle\langle 1 \rangle\rangle_{val}(\Phi)(t)$ , and for some  $t \in E(s)$  we have  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) = \langle\langle 1 \rangle\rangle_{val}(\Phi)(t)$ .*
3. *If  $s \in S_\bigcirc$ , then  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) = (\sum_{t \in E(s)} \langle\langle 1 \rangle\rangle_{val}(\Phi)(t) \cdot \delta(s)(t))$ .*

Similar conditions hold for the value function  $\langle\langle 2 \rangle\rangle_{val}(\Omega \setminus \Phi)$  of player 2.

**Definition 4 (Value classes)** *Given a Müller objective  $\Phi$ , for every real  $r \in [0, 1]$  the value class with value  $r$  is  $\text{VC}(\Phi, r) = \{s \in S \mid \langle\langle 1 \rangle\rangle_{val}(\Phi)(s) = r\}$  is the set of states with value  $r$  for player 1. For  $r \in [0, 1]$  we denote by  $\text{VC}(\Phi, > r) = \bigcup_{q > r} \text{VC}(\Phi, q)$  the value classes greater than  $r$  and by  $\text{VC}(\Phi, < r) = \bigcup_{q < r} \text{VC}(\Phi, q)$  the value classes smaller than  $r$ . ■*

**Definition 5 (Boundary probabilistic states)** *Given a value class  $\text{VC}(\Phi, r)$ , a state  $s \in \text{VC}(\Phi, r) \cap S_\bigcirc$  is a boundary probabilistic state if  $E(s) \cap (S \setminus \text{VC}(\Phi, r)) \neq \emptyset$ , i.e., the probabilistic state has an edge out of the value class. For a value class  $\text{VC}(\Phi, r)$  we denote by  $\text{Bnd}(\Phi, r)$  the set of boundary probabilistic states of value class  $r$ . ■*

**Observation.** It follows from Proposition 1 that for a state  $s \in \text{Bnd}(\Phi, r)$  we have  $E(s) \cap \text{VC}(\Phi, > r) \neq \emptyset$  and  $E(s) \cap \text{VC}(\Phi, < r) \neq \emptyset$ , i.e., the boundary probabilistic states have edges to higher and lower value classes. It follows that for all Müller objectives  $\Phi$  we have  $\text{Bnd}(\Phi, 1) = \emptyset$  and  $\text{Bnd}(\Phi, 0) = \emptyset$ .

**Reduction of a value class.** Given a value class  $\text{VC}(\Phi, r)$ , let  $\text{Bnd}(\Phi, r)$  be the set of boundary probabilistic states in  $\text{VC}(\Phi, r)$ . We denote by  $G_{\text{Bnd}(\Phi, r)}$  the subgame where every boundary probabilistic state in  $\text{Bnd}(\Phi, r)$  is converted to an absorbing state (state with a self-loop). We denote by  $G_{\Phi, r} = G_{\text{Bnd}(\Phi, r)} \upharpoonright \text{VC}(\Phi, r)$ : this is a subgame since every value class is  $\delta$ -live by Proposition 1, and  $\delta$ -closed as all states in  $\text{Bnd}(\Phi, r)$  are converted to absorbing states.

**Lemma 4 (Almost-sure reduction)** *Let  $G$  be a 2<sup>1/2</sup>-player game graph and  $\mathcal{F} \subseteq \mathcal{P}(C)$  be a Müller winning condition. Let  $\Phi = \text{Müller}(\mathcal{F})$ . For  $0 < r < 1$ , the following assertions hold.*

1. *Player 1 wins almost-surely for objective  $\Phi \cup \text{Reach}(\text{Bnd}(\Phi, r))$  from all states in  $G_{\Phi, r}$ , i.e.,  $\langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi \cup \text{Reach}(\text{Bnd}(\Phi, r))) = \text{VC}(\Phi, r)$  in the subgame  $G_{\Phi, r}$ .*
2. *Player 2 wins almost-surely for objective  $\overline{\Phi} \cup \text{Reach}(\text{Bnd}(\Phi, r))$  from all states in  $G_{\Phi, r}$ , i.e.,  $\langle\langle 2 \rangle\rangle_{\text{almost}}(\overline{\Phi} \cup \text{Reach}(\text{Bnd}(\Phi, r))) = \text{VC}(\Phi, r)$  in the subgame  $G_{\Phi, r}$ .*

**Proof.** We prove the first part and the second part follows from symmetric arguments. The result is obtained through an argument by contradiction. Let  $0 < r < 1$ , and let

$$q = \max\{ \langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(t) \mid t \in E(s) \setminus \text{VC}(\Phi, r), s \in \text{VC}(\Phi, r) \cap S_1 \},$$

that is,  $q$  is the maximum value a successor state  $t$  of a player 1 state  $s \in \text{VC}(\Phi, r)$  such that the successor state  $t$  is not in  $\text{VC}(\Phi, r)$ . By Proposition 1 we must have  $q < r$ . Hence if player 1 chooses to escape the value class  $\text{VC}(\Phi, r)$ , then player 1 gets to see a state with value at most  $q < r$ . We consider the subgame  $G_{\Phi, r}$ . Let  $U = \text{VC}(\Phi, r)$  and  $Z = \text{Bnd}(\Phi, r)$ . Assume towards contradiction, there exists a state  $s \in U$  such that  $s \notin \langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi \cup \text{Reach}(Z))$ . Then we have  $s \in (U \setminus Z)$  and  $\langle\langle 2 \rangle\rangle_{\text{val}}(\overline{\Phi} \cap \text{Safe}(U \setminus Z))(s) > 0$ . It follows from the results of [2] that for all Müller objectives  $\Psi$ , if  $\langle\langle 2 \rangle\rangle_{\text{val}}(\Psi)(s) > 0$ , then for some state  $s_1$  we have  $\langle\langle 2 \rangle\rangle_{\text{val}}(\Psi)(s_1) = 1$ . Observe that in  $G_{\Phi, r}$  we have all states in  $Z$  are absorbing states, and hence the objective  $\overline{\Phi} \cap \text{Safe}(U \setminus Z)$  is equivalent to the objective  $\overline{\Phi} \cap \text{coBüchi}(U \setminus Z)$ , which is a Müller objective. It follows that there exists a state  $s_1 \in (U \setminus Z)$  such that  $\langle\langle 2 \rangle\rangle_{\text{val}}(\overline{\Phi} \cap \text{Safe}(U \setminus Z)) = 1$ . Hence there exists a strategy  $\widehat{\pi}$  for player 2 in  $G_{\Phi, r}$  such that for all strategies  $\widehat{\sigma}$  for player 1 in  $G_{\Phi, r}$  we have  $\Pr_{s_1}^{\widehat{\sigma}, \widehat{\pi}}(\overline{\Phi} \cap \text{Safe}(U \setminus Z)) = 1$ . We will now construct a strategy  $\pi^*$  for player 2 as a combination of the strategy  $\widehat{\pi}$  and a strategy in the original game  $G$ . By Martin's determinacy result (Theorem 2), for all  $\varepsilon > 0$ , there exists an  $\varepsilon$ -optimal strategy  $\pi_\varepsilon$  for player 2 in  $G$  such that for all  $s \in S$  and for all strategies  $\sigma$  for player 1 we have

$$\Pr_s^{\sigma, \pi_\varepsilon}(\overline{\Phi}) \geq \langle\langle 2 \rangle\rangle_{\text{val}}(\overline{\Phi})(s) - \varepsilon.$$

Let  $r - q = \alpha > 0$ , and let  $\varepsilon = \frac{\alpha}{2}$  and consider an  $\varepsilon$ -optimal strategy for player 2 in  $G$ . The strategy  $\pi^*$  in  $G$  is constructed as follows: for a history  $w$  that remains in  $U$ , player 2 follows  $\widehat{\pi}$ ; and if the history reaches  $(S \setminus U)$ , then player 2 follows the strategy  $\pi_\varepsilon$ . Formally, for a history  $w = \langle s_1, s_2, \dots, s_k \rangle$  we have

$$\pi^*(w) = \begin{cases} \widehat{\pi}(w) & \text{if for all } 1 \leq j \leq k, s_j \in U; \\ \pi_\varepsilon(s_j, s_{j+1}, \dots, s_k) & \text{where } j = \min\{ i \mid s_i \notin U \} \end{cases}$$

We consider the case when the play starts at  $s_1$ . The strategy  $\pi^*$  ensures the following: if the game stays in  $U$ , then the strategy  $\widehat{\pi}$  is followed, and given the play stays in  $U$ , the strategy  $\widehat{\pi}$  ensures with probability 1 that  $\overline{\Phi}$  is satisfied and  $\text{Bnd}(\Phi, r)$  is not reached. Hence if the game escapes  $U$  (i.e., player 1 chooses to escape  $U$ ), then it reaches a state with value at most  $q$  for player 1. We consider an arbitrary strategy  $\sigma$  for player 1 and consider the following cases.

1. If  $\Pr_{s_1}^{\sigma, \pi^*}(\text{Safe}(U)) = 1$ , then we have  $\Pr_{s_1}^{\sigma, \pi^*}(\overline{\Phi} \cap \text{Safe}(U)) = \Pr_{s_1}^{\sigma, \widehat{\pi}}(\overline{\Phi} \cap \text{Safe}(U)) = 1$ . Hence we also have  $\Pr_{s_1}^{\sigma, \widehat{\pi}}(\overline{\Phi}) = 1$ , i.e., we have  $\Pr_{s_1}^{\sigma, \pi^*}(\Phi) = 0$ .
2. If  $\Pr_{s_1}^{\sigma, \pi^*}(\text{Reach}(S \setminus U)) = 1$ , then the play reaches a state with value for player 1 at most  $q$  and the strategy  $\pi_\varepsilon$  ensures that  $\Pr_{s_1}^{\sigma, \pi^*}(\Phi) \leq q + \varepsilon$ .
3. If  $\Pr_{s_1}^{\sigma, \pi^*}(\text{Safe}(U)) > 0$  and  $\Pr_{s_1}^{\sigma, \pi^*}(\text{Reach}(S \setminus U)) > 0$ , then we condition on both these events and have the following:

$$\begin{aligned}
\Pr_{s_1}^{\sigma, \pi^*}(\Phi) &= \Pr_{s_1}^{\sigma, \pi^*}(\Phi \mid \text{Safe}(U)) \cdot \Pr_{s_1}^{\sigma, \pi^*}(\text{Safe}(U)) \\
&\quad + \Pr_{s_1}^{\sigma, \pi^*}(\Phi \mid \text{Reach}(S \setminus U)) \cdot \Pr_{s_1}^{\sigma, \pi^*}(\text{Reach}(S \setminus U)) \\
&\leq 0 + (q + \varepsilon) \cdot \Pr_{s_1}^{\sigma, \pi^*}(\text{Reach}(S \setminus U)) \\
&\leq q + \varepsilon.
\end{aligned}$$

The above inequalities are obtained as follows: given the event  $\text{Safe}(U)$ , the strategy  $\pi^*$  follows  $\widehat{\pi}$  and ensures that  $\overline{\Phi}$  is satisfied with probability 1 (i.e.,  $\Phi$  is satisfied with probability 0); else the game reaches states where the value for player 1 is at most  $q$ , and then the analysis is similar to the previous case.

Hence for all strategies  $\sigma$  we have

$$\Pr_{s_1}^{\sigma, \pi^*}(\Phi) \leq q + \varepsilon = q + \frac{\alpha}{2} = r - \frac{\alpha}{2}.$$

Hence we must have  $\langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s_1) \leq r - \frac{\alpha}{2}$ . Since  $\alpha > 0$  and  $s_1 \in \text{VC}(\Phi, r)$  (i.e.,  $\langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s_1) = r$ ), we have a contradiction. The desired result follows. ■

**Lemma 5 (Almost-sure to optimality [4])** *Let  $G$  be a  $2^{1/2}$ -player game graph and  $\mathcal{F} \subseteq \mathcal{P}(C)$  be a Müller winning condition. Let  $\Phi = \text{Müller}(\mathcal{F})$ . Let  $\sigma$  be a strategy such that*

- $\sigma$  is an almost-sure winning strategy from the almost-sure winning states  $(\langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi)$  in  $G$ ); and
- $\sigma$  is an almost-sure winning strategy for objective  $\Phi \cup \text{Reach}(\text{Bnd}(\Phi, r))$  in the game  $G_{\Phi, r}$ , for all  $0 < r < 1$ .

*Then  $\sigma$  is an almost-sure winning strategy.*

**Proof.** We prove the result for the case when  $\sigma$  is memoryless (randomized memoryless). The case when  $\sigma$  is finite-memory with memory  $M$ , the arguments can be repeated on the game  $G \times M$  (the usual synchronous product of  $G$  and the memory  $M$ ).

Consider the player-2 MDP  $G_\sigma$  with the objective  $\text{Müller}(\overline{\mathcal{F}})$  for player 2. In MDPs with Müller objectives randomized memoryless optimal strategies exist [3]. We fix a randomized memoryless optimal strategy  $\pi$  for player 2 in  $G_\sigma$ . Let  $W_1 = \langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi)$  and  $W_2 = \langle\langle 2 \rangle\rangle_{\text{almost}}(\overline{\Phi})$ . We consider the Markov chain  $G_{\sigma, \pi}$  and analyze the recurrent states of the Markov chain.

*Recurrent states in  $G_{\sigma, \pi}$ .* Let  $U$  be a closed, connected recurrent set in  $G_{\sigma, \pi}$  (i.e.,  $U$  is a bottom strongly connected component in the graph of  $G_{\sigma, \pi}$ ). Let  $q = \max\{r \mid \text{VC}(\Phi, r) \cap U \neq \emptyset\}$ , i.e., for all  $q' > q$  we have  $\text{VC}(\Phi, q') \cap U = \emptyset$  or in other words  $\text{VC}(\Phi, > q) \cap U = \emptyset$ . For a state  $s \in U \cap \text{VC}(\Phi, q)$  we have the following cases.

1. If  $s \in S_1$ , then  $\text{Supp}(\sigma(s)) \subseteq \text{VC}(\Phi, q)$ . This is because in the game  $G_{\Phi,q}$  the edges of player 1 consists of edges in the value class  $\text{VC}(\Phi, q)$
2. If  $s \in S_{\bigcirc}$  and  $s \in \text{Bnd}(\Phi, q)$ , then it means that  $U \cap \text{VC}(\Phi, q') \neq \emptyset$ , for some  $q' > q$ : this is because  $E(s) \cap \text{VC}(\Phi, > q) \neq \emptyset$  for  $s \in \text{Bnd}(\Phi, q)$  and  $U$  is closed. This is not possible since by assumption on  $U$  we have  $U \cap \text{VC}(\Phi, > q) = \emptyset$ . Hence we have  $s \in S_{\bigcirc} \cap (U \setminus \text{Bnd}(\Phi, q))$ , and  $E(s) \subseteq \text{VC}(\Phi, q)$ .
3. If  $s \in S_2$ , then since  $U \cap \text{VC}(\Phi, > q) = \emptyset$ , it follows by Proposition 1 that  $\text{Supp}(\pi(s)) \subseteq \text{VC}(\Phi, q)$ .

Hence for all  $s \in U \cap \text{VC}(\Phi, q)$  we have all successors of  $U$  in  $G_{\sigma,\pi}$  are in  $\text{VC}(\Phi, q)$ , and moreover  $U \cap \text{Bnd}(\Phi, q) = \emptyset$ , i.e.,  $U$  is contained in a value class and does not intersect with the boundary probabilistic states. By the property of strategy  $\sigma$ , if  $U \cap (S \setminus W_2) \neq \emptyset$ , then for all  $s \in U$  we have  $\Pr_s^{\sigma,\pi}(\Phi) = 1$ : this is because for all  $r > 0$ , the strategy  $\sigma$  is almost-sure winning for objective  $\Phi \cup \text{Reach}(\text{Bnd}(\Phi, r))$  in  $G_{\Phi,r}$ . Since  $\sigma$  is a fixed strategy and  $\pi$  is optimal against  $\sigma$ , it follows that if  $\langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s) < 1$ , then  $\Pr_s^{\sigma,\pi}(\Phi) < 1$ . Hence it follows that  $U \cap (S \setminus (W_1 \cup W_2)) = \emptyset$ . Hence the recurrent states of  $G_{\sigma,\pi}$  are contained in  $W_1 \cup W_2$ , i.e., we have  $\Pr_s^{\sigma,\pi}(\text{Reach}(W_1 \cup W_2)) = 1$ . Since  $\sigma$  is an almost-sure winning strategy in  $W_1$ , we have  $\Pr_s^{\sigma,\pi}(\overline{\Phi}) = \Pr_s^{\sigma,\pi}(\text{Reach}(W_2))$ . Hence the strategy  $\pi$  maximizes the probability to reach  $W_2$  in the MDP  $G_{\sigma}$ .

*Analyzing reachability in  $G_{\sigma}$ .* Since in  $G_{\sigma}$  player 2 maximizes the probability to reachability to  $W_2$ , we analyze the player-2 MDP  $G_{\sigma}$  with objective  $\text{Reach}(W_2)$  for player 2. For every state  $s$  consider a real-valued variable  $x_s = 1 - \langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s) = \langle\langle 2 \rangle\rangle_{\text{val}}(\overline{\Phi})(s)$ . The following constraints are satisfied

$$\begin{aligned} x_s &= \sum_{t \in \text{Supp}(\sigma(s))} x_t \cdot \sigma(s)(t) & s \in S_1; \\ x_s &= \sum_{t \in E(s)} x_t \cdot \delta(s)(t) & s \in S_{\bigcirc}; \\ x_s &\geq x_t & s \in S_2; \\ x_s &= 1 & s \in W_2; \end{aligned}$$

The first equality follows as for all  $r \in [0, 1]$  and for all  $s \in S \cap \text{VC}(\Phi, r)$  we have  $\text{Supp}(\sigma(s)) \subseteq \text{VC}(\Phi, r)$ . The next equality and the first inequality follows from Proposition 1. Since the values for MDPs with reachability objective is characterized as the least value vector satisfying the above constraints [12], it follows that for all  $s \in S$  and for all strategies  $\pi_1 \in \Pi$  we have

$$\Pr_s^{\sigma,\pi_1}(\text{Reach}(W_2)) \leq x_s = \langle\langle 2 \rangle\rangle_{\text{val}}(\overline{\Phi})(s).$$

Hence we have  $\Pr_s^{\sigma,\pi}(\overline{\Phi}) \leq \langle\langle 2 \rangle\rangle_{\text{val}}(\overline{\Phi})(s)$ , i.e.,  $\Pr_s^{\sigma,\pi}(\Phi) \geq 1 - \langle\langle 2 \rangle\rangle_{\text{val}}(\overline{\Phi})(s) = \langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s)$ . Thus we obtain that  $\sigma$  is an optimal strategy. ■

**Müller reduction for  $G_{\Phi,r}$ .** Given a Müller winning condition  $\mathcal{F}$  and the objective  $\Phi = \text{Müller}(\mathcal{F})$ , we consider the game  $G_{\Phi,r}$  with the objective  $\Phi \cup \text{Reach}(\text{Bnd}(\Phi, r))$  for player 1. We present a simple reduction to a game with objective  $\Phi$ . The reduction is achieved as follows: without loss of generality we assume  $\mathcal{F} \neq \emptyset$ , and let  $F \in \mathcal{F}$  and  $F = \{c_1^F, c_2^F, \dots, c_f^F\}$ . We construct a game graph  $\tilde{G}_{\Phi,r}$  with objective  $\Phi$  for player 1 as follows: convert every state  $s_j \in \text{Bnd}(\Phi, r)$  to a cycle  $U_j = \{s_1^j, s_2^j, \dots, s_f^j\}$  with  $\chi(s_i^j) = c_i^F$ , i.e., once  $s_j$  is reached the cycle  $U_j$  is repeated with  $\chi(U_j) \in \mathcal{F}$ . An almost-sure winning strategy in  $G_{\Phi,r}$  with objective  $\Phi \cup \text{Reach}(\text{Bnd}(\Phi, r))$ , is an almost-sure winning strategy in  $\tilde{G}_{\Phi,r}$  with objective  $\Phi$ ; and vice-versa. The present reduction along with Lemma 4 and Lemma 5 gives us Lemma 6. Observe that Lemma 4 ensures that strategies satisfying conditions of Lemma 5 exist. Lemma 6 along with Theorem 3 gives us Theorem 6.

**Lemma 6** For all Müller winning conditions  $\mathcal{F}$ , the following assertions hold.

1. If the family of pure finite-memory strategies of size  $\ell_{\mathcal{F}}^P$  suffices for almost-sure winning on  $2^{1/2}$ -player game graphs, then the family of pure finite-memory strategies of size  $\ell_{\mathcal{F}}^P$  suffices for optimality on  $2^{1/2}$ -player game graphs.
2. If the family of randomized finite-memory strategies of size  $\ell_{\mathcal{F}}^R$  suffices for almost-sure winning on  $2^{1/2}$ -player game graphs, then the family of randomized finite-memory strategies of size  $\ell_{\mathcal{F}}^R$  suffices for optimality on  $2^{1/2}$ -player game graphs.

**Theorem 6** For all Müller winning conditions  $\mathcal{F}$ , the family of pure finite-memory strategies of size  $m_{\mathcal{F}}$  suffices for optimality on  $2^{1/2}$ -player game graphs.

#### 4.1 Complexity of quantitative analysis

In this section we consider the complexity of quantitative analysis of  $2^{1/2}$ -player games with Müller objectives. We first prove some properties of the values of  $2^{1/2}$ -player games with Müller objectives. We start with a lemma.

**Lemma 7** For all  $2^{1/2}$ -player game graphs, for all Müller objectives  $\Phi$ , there exist optimal strategies  $\sigma$  and  $\pi$  for player 1 and player 2 such that the following assertions hold:

1. for all  $r \in (0, 1)$ , for all  $s \in \text{VC}(\Phi, r)$  we have  $\Pr_s^{\sigma, \pi}(\text{Reach}(\text{Bnd}(\Phi, r))) = 1$ ;
2. for all  $s \in S$  we have

$$\Pr_s^{\sigma, \pi}(\text{Reach}(W_1 \cup W_2)) = 1;$$

$$\Pr_s^{\sigma, \pi}(\text{Reach}(W_1)) = \langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s); \quad \Pr_s^{\sigma, \pi}(\text{Reach}(W_2)) = \langle\langle 2 \rangle\rangle_{\text{val}}(\overline{\Phi})(s);$$

where  $W_1 = \langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi)$  and  $W_2 = \langle\langle 2 \rangle\rangle_{\text{almost}}(\overline{\Phi})$ .

**Proof.** Consider an optimal strategy  $\sigma$  that satisfies the conditions of Lemma 5, and a strategy  $\pi$  that satisfies analogous conditions for player 2. For all  $r \in (0, 1)$ , the strategy  $\sigma$  is almost-sure winning for the objective  $\Phi \cup \text{Reach}(\text{Bnd}(\Phi, r))$  and the strategy  $\pi$  is almost-sure winning for the objective  $\overline{\Phi} \cup \text{Reach}(\text{Bnd}(\Phi, r))$ , in the game  $G_{\Phi, r}$ . Thus we obtain that for all  $r \in (0, 1)$ , for all  $s \in \text{VC}(\Phi, r)$  we have

$$\Pr_s^{\sigma, \pi}(\Phi \cup \text{Reach}(\text{Bnd}(\Phi, r))) = 1; \quad \text{and} \quad \Pr_s^{\sigma, \pi}(\overline{\Phi} \cup \text{Reach}(\text{Bnd}(\Phi, r))) = 1.$$

It follows that for all  $r \in (0, 1)$ , for all  $s \in \text{VC}(\Phi, r)$  we have

$$\Pr_s^{\sigma, \pi}(\text{Reach}(\text{Bnd}(\Phi, r))) = 1.$$

From the above condition it easily follows that for all  $s \in S$  we have  $\Pr_s^{\sigma, \pi}(\text{Reach}(W_1 \cup W_2)) = 1$ . Since  $\sigma$  and  $\pi$  are optimal strategies, all the requirements of the second condition are fulfilled. Hence, the strategies  $\sigma$  and  $\pi$  are witness strategies to prove the desired result. ■

**Characterizing values for  $2^{1/2}$ -player Müller games.** We now relate the values of  $2^{1/2}$ -player game graphs with Müller objectives with the values of a Markov chain, on the same state space, with reachability objectives. Once the relationship is established we obtain bound on preciseness of the values. We use Lemma 7 two present two transformations to Markov chains.

**Markov chain transformation.** Given a  $2^{1/2}$ -player game graph  $G = ((S, E), (S_1, S_2, S_{\bigcirc}), \delta)$  with a Müller objective  $\Phi$ , let  $W_1 = \langle\langle 1 \rangle\rangle_{almost}(\Phi)$  and  $W_2 = \langle\langle 2 \rangle\rangle_{almost}(\overline{\Phi})$  be the set of almost-sure winning states for the players. Let  $\sigma$  and  $\pi$  be optimal strategies for the players (obtained from Lemma 7) such that

1. for all  $r \in (0, 1)$ , for all  $s \in VC(\Phi, r)$  we have  $Pr_s^{\sigma, \pi}(Reach(Bnd(\Phi, r))) = 1$ ;
2. for all  $s \in S$  we have

$$Pr_s^{\sigma, \pi}(Reach(W_1 \cup W_2)) = 1; \\ Pr_s^{\sigma, \pi}(Reach(W_1)) = \langle\langle 1 \rangle\rangle_{val}(\Phi)(s); \quad Pr_s^{\sigma, \pi}(Reach(W_2)) = \langle\langle 2 \rangle\rangle_{val}(\overline{\Phi})(s).$$

We first consider a Markov chain that mimics the stochastic process under  $\sigma$  and  $\pi$ . The Markov chain  $\tilde{G} = (S, \tilde{\delta}) = MC_1(G, \Phi)$  with the transition function  $\tilde{\delta}$  is defined as follows:

1. for  $s \in W_1 \cup W_2$  we have  $\tilde{\delta}(s)(s) = 1$ ;
2. for  $r \in (0, 1)$  and  $s \in VC(\Phi, r) \setminus Bnd(\Phi, r)$  we have  $\tilde{\delta}(s)(t) = Pr_t^{\sigma, \pi}(Reach(\{t\}))$ , for  $t \in Bnd(\Phi, r)$  (since for all  $s \in VC(\Phi, r)$  we have  $Pr_s^{\sigma, \pi}(Reach(Bnd(\Phi, r))) = 1$ , the transition function  $\tilde{\delta}$  at  $s$  is a probability distribution); and
3. for  $r \in (0, 1)$  and  $s \in Bnd(\Phi, r)$  we have  $\tilde{\delta}(s)(t) = \delta(s)(t)$ , for  $t \in S$ .

The Markov chain  $\tilde{G}$  mimics the stochastic process under  $\sigma$  and  $\pi$  and yields the following lemma.

**Lemma 8** *For all  $2^{1/2}$ -player game graphs  $G$  and all Müller objectives  $\Phi$ , consider the Markov chain  $\tilde{G} = MC_1(G, \Phi)$ . Then for all  $s \in S$  we have  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) = Pr_s(Reach(W_1))$ , that is, the value for  $\Phi$  in  $G$  is equal to the probability to reach  $W_1$  in the Markov chain  $\tilde{G}$ .*

**Second transformation.** We now transform the Markov chain  $\tilde{G}$  to another Markov chain  $\hat{G}$ . We start with the observation that for  $r \in (0, 1)$ , for all states  $s, t \in Bnd(\Phi, r)$  in the Markov chain  $\tilde{G}$  we have  $Pr_s(Reach(W_1)) = Pr_t(Reach(W_1)) = r$ . Moreover, for  $r \in (0, 1)$ , every state  $s \in Bnd(\Phi, r)$  has edges to higher and lower value classes. Hence for a state  $s \in VC(\Phi, r) \setminus Bnd(\Phi, r)$  if we chose a state  $t_r \in Bnd(\Phi, r)$  and make the transition probability from  $s$  to  $t_r$  to 1, the probability to reach  $W_1$  does not change. This motivates the following transformation: given a  $2^{1/2}$ -player game graph  $G = ((S, E), (S_1, S_2, S_{\bigcirc}), \delta)$  with a Müller objective  $\Phi$ , let  $W_1 = \langle\langle 1 \rangle\rangle_{almost}(\Phi)$  and  $W_2 = \langle\langle 2 \rangle\rangle_{almost}(\overline{\Phi})$  be the set of almost-sure winning states for the players. Let  $\sigma$  and  $\pi$  be optimal strategies for the players (obtained from Lemma 7) such that

1. for all  $r \in (0, 1)$ , for all  $s \in VC(\Phi, r)$  we have  $Pr_s^{\sigma, \pi}(Reach(Bnd(\Phi, r))) = 1$ ;
2. for all  $s \in S$  we have

$$Pr_s^{\sigma, \pi}(Reach(W_1 \cup W_2)) = 1; \\ Pr_s^{\sigma, \pi}(Reach(W_1)) = \langle\langle 1 \rangle\rangle_{val}(\Phi)(s); \quad Pr_s^{\sigma, \pi}(Reach(W_2)) = \langle\langle 2 \rangle\rangle_{val}(\overline{\Phi})(s).$$

The Markov chain  $\hat{G} = (S, \hat{\delta}) = MC_2(G, \Phi)$  with the transition function  $\hat{\delta}$  is defined as follows:

1. for  $s \in W_1 \cup W_2$  we have  $\hat{\delta}(s)(s) = 1$ ;
2. for  $r \in (0, 1)$  and  $s \in VC(\Phi, r) \setminus Bnd(\Phi, r)$ , pick  $t \in Bnd(\Phi, r)$  and  $\hat{\delta}(s)(t) = 1$ ; and

3. for  $r \in (0, 1)$  and  $s \in \text{Bnd}(\Phi, r)$  we have  $\widehat{\delta}(s)(t) = \delta(s)(t)$ , for  $t \in S$ .

Observe that for  $\delta_{>0} = \{ \delta(s)(t) \mid s \in S_{\bigcirc}, t \in S, \delta(s)(t) > 0 \}$  and  $\widehat{\delta}_{>0} = \{ \widehat{\delta}(s)(t) \mid s \in S, t \in S, \widehat{\delta}(s)(t) > 0 \}$ , we have  $\widehat{\delta}_{>0} \subseteq \delta_{>0} \cup \{ 1 \}$ , i.e., the transition probabilities in  $\widehat{G}$  are subset of transition probabilities in  $G$ . Hence it follows that  $\widehat{\delta}_{\min} = \min(\widehat{\delta}_{>0}) \geq \delta_{\min} = \min(\delta_{>0})$ . The following lemma is immediate from Lemma 8 and the equivalence of the probabilities to reach  $W_1$  in  $\widetilde{G}$  and  $\widehat{G}$ .

**Lemma 9** *For all  $2^{1/2}$ -player game graphs  $G$  and all Müller objectives  $\Phi$ , consider the Markov chain  $\widehat{G} = \text{MC}_2(G, \Phi)$ . Then for all  $s \in S$  we have  $\langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s) = \Pr_s(\text{Reach}(W_1))$ , that is, the value for  $\Phi$  in  $G$  is equal to the probability to reach  $W_1$  in the Markov chain  $\widehat{G}$ .*

**Lemma 10** *For all  $2^{1/2}$ -player game graphs  $G$  and all Müller objectives  $\Phi$ , for all states  $s \in S \setminus (W_1 \cup W_2)$  we have  $\langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s) = \frac{p}{q}$  with  $0 < p < q \leq \left(\frac{1}{\delta_{\min}}\right)^{2n}$ , where  $W_1$  and  $W_2$  are the almost-sure winning states for player 1 and player 2, respectively,  $n$  is the number of states and  $\delta_{\min}$  is the minimum nonzero transition probability in  $G$ .*

**Proof.** Lemma 9 shows the values of the game  $G$  can be related to the values of reaching a set of states in a Markov chain  $\widehat{G}$  defined on the same state space, and also the minimum nonzero transition probability in  $\widehat{G}$  is at least as large as  $\delta_{\min}$ . The result on the bound on the preciseness of the values follows from the bounds of values of Markov chains with reachability objectives. ■

**A PSPACE algorithm for quantitative analysis.** We now present a PSPACE algorithm for quantitative analysis for  $2^{1/2}$ -player games with Müller objectives  $\text{Müller}(\mathcal{F})$ . A PSPACE lower bound is already known for the qualitative analysis of 2-player games with Müller objectives [14]. To obtain an upper bound we present a NPSPACE algorithm. The algorithm is as follows: given a  $2^{1/2}$ -player game graph and a Müller objective  $\Phi = \text{Müller}(\mathcal{F})$ , the algorithm first computes  $W_1 = \langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi)$  and  $W_2 = \langle\langle 2 \rangle\rangle_{\text{almost}}(\Phi)$  by the PSPACE qualitative algorithms (see Theorem 5). Then, for every state  $s \in S \setminus (W_1 \cup W_2)$  the algorithm guesses  $\langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s) = \frac{p}{q}$ , and by Lemma 10

we have  $p < q \leq \left(\frac{1}{\delta_{\min}}\right)^{2n}$ , where  $n = |S|$ . Hence at each state the guess of the value can be made in  $O(|G| \cdot n)$  bits and thus the guess is polynomial in the size of the game. The verification stage consists of two steps.

- (Step 1 of verification.) Verify that for every value class  $\text{VC}(\Phi, r)$  (with the guessed values), the game  $\widetilde{G}_{\Phi, r}$  is almost-sure winning for player 1. This verification can again be done in PSPACE by the PSPACE qualitative algorithms.
- (Step 2 of verification.) Once step 1 of verification succeeds, the last verification step involves constructing the Markov chain  $\widehat{G} = \text{MC}_2(G, \Phi)$  (with the value classes as guessed) and verify that the values of reachability to  $W_1$  in  $\widehat{G}$  at a state  $s$  is exactly the value guessed at  $s$ . Since the values of a Markov chain with reachability objectives can be computed in polynomial time, it follows that we have a NPSPACE algorithm to compute the values for  $2^{1/2}$ -player Müller games.

Since NPSPACE=PSPACE we obtain a PSPACE upper bound for quantitative analysis of  $2^{1/2}$ -player games with Müller objectives.

**Theorem 7** Given a  $2^{1/2}$ -player game  $G$ , a Müller objective  $\Phi$ , a state  $s$ , and a rational  $r$  in binary, it is PSPACE-complete to decide if  $\langle\!\langle 1 \rangle\!\rangle_{\text{val}}(\Phi)(s) \geq r$ .

## 4.2 The complexity of union-closed and upward-closed Müller objectives

We now consider two special classes of Müller objectives: namely, union-closed and upward-closed objectives. We will show the quantitative analysis of both these classes of objectives in  $2^{1/2}$ -player games under succinct representation is co-NP-complete. We first present these conditions.

1. *Union-closed and basis conditions.* A Müller winning condition  $\mathcal{F} \subseteq \mathcal{P}(C)$  is *union-closed* if for all  $I, J \in \mathcal{F}$  we have  $I \cup J \in \mathcal{F}$ . A *basis* condition  $\mathcal{B} \subseteq \mathcal{P}(C)$ , given as a set  $\mathcal{B}$  specifies the winning condition  $\mathcal{F} = \{ I \subseteq C \mid \exists B_1, B_2, \dots, B_k \in \mathcal{B}. \bigcup_{1 \leq i \leq k} B_i = I \}$ . A Müller winning condition  $\mathcal{F}$  can be specified as a basis condition only if  $\mathcal{F}$  is union-closed.
2. *Upward-closed and superset conditions.* A Müller winning condition  $\mathcal{F} \subseteq \mathcal{P}(C)$  is *upward-closed* if for all  $I \in \mathcal{F}$  and  $I \subseteq J \subseteq C$  we have  $J \in \mathcal{F}$ . A *superset* condition  $\mathcal{U} \subseteq \mathcal{P}(C)$ , specifies the winning condition  $\mathcal{F} = \{ I \subseteq C \mid J \subseteq I \text{ for some } J \in \mathcal{U} \}$ . A Müller winning condition  $\mathcal{F}$  can be specified as a superset condition only if  $\mathcal{F}$  is upward-closed. Any upward-closed condition is also union-closed.

The results of [14] showed that the basis and superset conditions are more succinct ways to represent union-closed and upward-closed conditions, respectively, than the explicit representation. The following proposition was also shown in [14] (see [14] for the formal description of the notion of succinctness and translability).

**Proposition 2** ([14]) *A superset condition is polynomially translatable to an equivalent basis condition.*

**Strategy complexity for union-closed conditions.** We observe that for an union-closed objective  $\mathcal{F}$ , the Zielonka tree construction ensures that  $m_{\overline{\mathcal{F}}} = 1$ . Then from Theorem 6 we obtain that for objectives Müller( $\overline{\mathcal{F}}$ ) pure memoryless optimal strategies exist in  $2^{1/2}$ -player game graphs, for union-closed conditions  $\mathcal{F}$ .

**Proposition 3** *For all union-closed winning conditions  $\mathcal{F}$  we have  $m_{\overline{\mathcal{F}}} = 1$ ; and pure memoryless optimal strategies exist for objective Müller( $\overline{\mathcal{F}}$ ) for all  $2^{1/2}$ -player game graphs.*

**Complexity of basis and superset conditions.** The results of [14] established that deciding the winner in 2-player games (that is qualitative analysis for 2-player game graphs) with union-closed and upward-closed conditions specified as basis and superset conditions is coNP-complete. The lower bound for the special case of 2-player games, yields a coNP lower bound for the quantitative analysis of  $2^{1/2}$ -player games with union-closed and upward-closed conditions specified as basis and superset conditions. We will prove a matching upper bound. We prove the upper bound for basis conditions, and by Proposition 2 the result also follows for superset conditions.

**The upper bound for basis games.** We present a coNP upper bound for the quantitative analysis for basis games. Given a  $2^{1/2}$ -player game graph and a Müller objective  $\Phi = \text{Müller}(\mathcal{F})$ , where  $\mathcal{F}$  is union-closed and specified as a basis condition defined by  $\mathcal{B}$ , let  $s$  be a state and  $r$

be a rational given in binary. The problem whether  $\langle\langle 1 \rangle\rangle_{val}(\Phi)(s) \geq r$  can be decided in coNP. We present a polynomial witness and polynomial time verification procedure when the answer to the problem is “NO”. Since  $\mathcal{F}$  is union-closed, it follows from Proposition 3 that pure memoryless optimal strategy  $\pi$  exists for player 2. The pure memoryless optimal strategy is the polynomial witness to the problem, and once  $\pi$  is fixed we obtain a  $1^{1/2}$ -player game graph  $G_\pi$ . To present a polynomial time verification procedure we present a polynomial time algorithm to compute values in an MDP (or  $1^{1/2}$ -player games) with basis condition  $\mathcal{B}$ .

**Preliminaries on for MDPs.** We develop some facts on *end components* [7, 8] that will be useful tools for analysis of MDPs.

**Definition 6 (End component)** A set  $U \subseteq S$  of states is an end component if  $U$  is  $\delta$ -closed and the subgame graph  $G|U$  is strongly connected. ■

We denote by  $\mathcal{E} \subseteq 2^S$  the set of all end components of  $G$ . The next lemma states that, under any strategy (memoryless or not), with probability 1 the set of states visited infinitely often along a play is an end component. This lemma allows us to derive conclusions on the (infinite) set of plays in an MDP by analyzing the (finite) set of end components in the MDP.

**Lemma 11** [7, 8] For all states  $s \in S$  and strategies  $\sigma \in \Sigma$ , we have  $\Pr_s^\sigma(Müller(\mathcal{E})) = 1$ .

Given a Müller condition  $\mathcal{F}$ , we denote by  $\mathcal{U} = \mathcal{E} \cap \{ F \subseteq S \mid \chi^{-1}(F) \in \mathcal{F} \}$  the set of end components that are Müller sets. These are the *winning* end components. Let  $T_{end} = \bigcup_{U \in \mathcal{U}} U$  be their union. From Lemma 11 and Theorem 4 of [2], it follows that the maximal probability of satisfying the objective  $Müller(\mathcal{F})$  is equal to the maximal probability of reaching the union of the winning end components.

**Lemma 12** For all  $1^{1/2}$ -player games and for all Müller objectives  $Müller(\mathcal{F})$  we have  $\langle\langle 1 \rangle\rangle_{val}(Müller(\mathcal{F})) = \langle\langle 1 \rangle\rangle_{val}(Reach(T_{end}))$ .

**Maximal end components.** An end component  $U \subseteq S$  is *maximal* in  $V \subseteq S$  if  $U \subseteq V$ , and if there is no end component  $U'$  with  $U \subset U' \subseteq V$ . Given a set  $V \subseteq S$ , we denote by  $\text{MaxEC}(V)$  the set consisting in all maximal end components  $U$  such that  $U \subseteq V$ .

**Polynomial time algorithm for MDPs with basis condition.** Given an  $1^{1/2}$ -player game graph  $G$ , let  $\mathcal{E}$  be the set of end components. Consider a basis condition  $\mathcal{B} = \{ B_1, B_2, \dots, B_k \} \subseteq \mathcal{P}(C)$ , and let  $\mathcal{F}$  be the union-closed condition generated from  $\mathcal{B}$ . The set of winning end-components are  $\mathcal{U} = \mathcal{E} \cap \{ F \subseteq S \mid \chi^{-1}(F) \in \mathcal{F} \}$ , and let  $T_{end} = \bigcup_{U \in \mathcal{U}} U$ . It follows from Lemma 12 that the value function in  $G$  can be computed by computing the maximal probability to reach  $T_{end}$ . Once the set  $T_{end}$  is computed, the value function for reachability objective in  $1^{1/2}$ -player game graphs can be computed in polynomial time by linear-programming (see [12]). To complete the proof we present a polynomial time algorithm to compute  $T_{end}$ .

**Computing winning end components.** The algorithm is as follows. Let  $\mathcal{B}$  be the basis for the winning condition and  $G$  be the  $1^{1/2}$ -player game graph. Initialize  $\mathcal{B}_0 = \mathcal{B}$  and repeat the following:

1. let  $X_i = \bigcup_{B \in \mathcal{B}_i} \chi^{-1}(B)$ ;
2. partition the set  $X_i$  into maximal end components  $\text{MaxEC}(X_i)$ ;

3. remove an element  $B$  of  $\mathcal{B}_i$  such that  $\chi^{-1}(B)$  is not wholly contained in a maximal end component to obtain  $\mathcal{B}_{i+1}$ ;

until  $\mathcal{B}_i = \mathcal{B}_{i-1}$ . When  $\mathcal{B}_i = \mathcal{B}_{i-1}$ , let  $X = X_i$ , and every maximal end component of  $X$  is an union of basis elements (all  $Y$  in  $X$  are members of basis elements, i.e.,  $\chi^{-1}(Y) \in \mathcal{B}$ , and an basis element not contained in any maximal end component of  $X$  is removed in step 3). Moreover, any maximal end component of  $G$  which is an union of basis elements is a subset of an maximal end component of  $X$ , since the algorithm preserves such sets. Hence we have  $X = T_{\text{end}}$ . The algorithm requires  $|\mathcal{B}|$  iterations and each iteration requires the decomposition of an  $1\frac{1}{2}$ -player game graph into the set of maximal end components, which can be achieved in  $O(|S| \cdot |E|)$  time (see [8]). Hence the algorithm works in  $O(|\mathcal{B}| \cdot |S| \cdot |E|)$  time. This completes the proof and yields the following result.

**Theorem 8** *Given a  $2\frac{1}{2}$ -player game graph and a Müller objective  $\Phi = \text{Müller}(\mathcal{F})$ , where  $\mathcal{F}$  is an union-closed condition specified as a basis condition defined by  $\mathcal{B}$  or  $\mathcal{F}$  is an upward-closed condition specified as a superset condition  $\mathcal{U}$ , a state  $s$  and a rational  $r$  given in binary, it is coNP-complete to decide whether  $\langle\langle 1 \rangle\rangle_{\text{val}}(\Phi)(s) \geq r$ .*

## 5 An Improved Bound for Randomized Strategies

We now show that if a player plays randomized strategies, then the upper bound on memory for optimal strategies can be improved. We first present the notions of an upward closed restriction of a Zielonka tree. The number  $m_{\mathcal{F}}^U$  of such restrictions of the Zielonka tree will be in general lower than the number  $m_{\mathcal{F}}$  of Zielonka trees, and we show that randomized strategies with memory of size  $m_{\mathcal{F}}^U$  suffices for optimality.

**Upward closed sets.** A set  $\mathcal{F} \subseteq \mathcal{P}(C)$  is *upward closed* if for all  $F \in \mathcal{F}$  and all  $F \subseteq F_1$  we have  $F_1 \in \mathcal{F}$ , i.e., if a set  $F$  is in  $\mathcal{F}$ , then all supersets  $F_1$  of  $F$  are in  $\mathcal{F}$  as well.

**Upward closed restriction of Zielonka tree.** The upward closed restriction of a Zielonka tree for a Müller winning condition  $\mathcal{F} \subseteq \mathcal{P}(C)$ , denoted as  $\mathcal{Z}_{\mathcal{F},C}^U$ , is obtained by making upward closed conditions as leaves. Formally, we define  $\mathcal{Z}_{\mathcal{F},C}^U$  inductively as follows:

1. if  $\mathcal{F}$  is upward closed, then  $\mathcal{Z}_{\mathcal{F},C}^U$  is leaf labeled  $\mathcal{F}$  (i.e., it has no subtrees);
2. otherwise
  - (a) if  $C \notin \mathcal{F}$ , then  $\mathcal{Z}_{\mathcal{F},C}^U = \mathcal{Z}_{\overline{\mathcal{F}},C}^U$ , where  $\overline{\mathcal{F}} = \mathcal{P}(C) \setminus \mathcal{F}$ .
  - (b) if  $C \in \mathcal{F}$ , then the root of  $\mathcal{Z}_{\mathcal{F},C}^U$  is labeled with  $C$ ; and let  $C_0, C_1, \dots, C_{k-1}$  be all the maximal sets in  $\{X \notin \mathcal{F} \mid X \subseteq C\}$ ; then we attach to the root, as its subtrees, the Zielonka upward closed restricted trees  $\mathcal{Z}_{\mathcal{F},C}^U$  of  $\mathcal{F} \upharpoonright C_i$ , i.e.,  $\mathcal{Z}_{\mathcal{F} \upharpoonright C_i, C_i}^U$ , for  $i = 0, 1, \dots, k-1$ .

The number  $m_{\mathcal{F}}^U$  for  $\mathcal{Z}_{\mathcal{F},C}^U$  is the number defined as the number  $m_{\mathcal{F}}$  was defined for the tree  $\mathcal{Z}_{\mathcal{F},C}$ .

We will prove randomized strategies of size  $m_{\mathcal{F}}^U$  suffices for optimality. To prove this result, we first prove that randomized strategies of size  $m_{\mathcal{F}}^U$  suffices for almost-sure winning. The result then follows from Lemma 6. To prove the result for almost-sure winning we take a closer look at the proof of Theorem 3. The inductive proof characterizes that if existence of randomized

memoryless strategies can be proved for  $2^{1/2}$ -player games with Müller winning conditions that appear in the leaves of the Zielonka tree, then the inductive proof generalizes to give a bound as in Theorem 3. Hence to prove an upper bound of size  $m_{\mathcal{F}}^U$  for almost-sure winning, it suffices to show that randomized memoryless strategies suffice for upward closed Müller winning conditions. In [3] it was shown that for all  $2^{1/2}$ -player games randomized memoryless strategies suffice for almost-sure winning for upward closed objectives (see Appendix for a proof). This gives us Theorem 9.

**Theorem 9** *For all Müller winning conditions  $\mathcal{F}$ , the family of randomized finite-memory strategies of size  $m_{\mathcal{F}}^U$  suffices for optimality on  $2^{1/2}$ -player game graphs.*

**Remark.** In general we have  $m_{\mathcal{F}}^U < m_{\mathcal{F}}$ . Consider for example  $\mathcal{F} \subseteq \mathcal{P}(C)$ , where  $C = \{c_1, c_2, \dots, c_k\}$ . For the Müller winning condition  $\mathcal{F} = \{C\}$ . We have  $m_{\mathcal{F}}^U = 1$ , and  $m_{\mathcal{F}} = |C|$ .

## 6 Conclusion

In this work we present optimal memory bounds for pure almost-sure, positive and optimal strategies for  $2^{1/2}$ -player games with Müller winning conditions. We also present improved memory bounds for randomized strategies. Unlike the results of [9] our results do not extend to infinite state games: for example, the results of [11] showed that even for  $2^{1/2}$ -player pushdown games optimal strategies need not exist, and for  $\epsilon > 0$  even  $\epsilon$ -optimal strategies may require infinite memory. For lower bound of randomized strategies the constructions of [9] do not work: in fact for the family of games used for lower bounds in [9] randomized memoryless almost-sure winning strategies exist. However, it is known that there exist Müller winning conditions  $\mathcal{F} \subseteq \mathcal{P}(C)$ , such that randomized almost-sure winning strategies may require memory  $|C|!$  [15]. However, whether a matching lower bound of size  $m_{\mathcal{F}}^U$  can be proved in general, or whether the upper bound of  $m_{\mathcal{F}}^U$  can be improved and a matching lower bound can be proved for randomized strategies with memory remains open.

## References

- [1] J.R. Büchi and L.H. Landweber. Solving sequential conditions by finite-state strategies. *Transactions of the AMS*, 138:295–311, 1969.
- [2] K. Chatterjee. Concurrent games with tail objectives. In *CSL'06*, Springer.
- [3] K. Chatterjee, L. de Alfaro, and T.A. Henzinger. Trading memory for randomness. In *QEST'04*, IEEE Computer Society Press, 2004.
- [4] K. Chatterjee, L. de Alfaro, and T.A. Henzinger. The complexity of stochastic Rabin and Streett games. In *ICALP'05* vol. 3580 of *LNCS*, pages 878–890. Springer.
- [5] K. Chatterjee, M. Jurdziński, and T.A. Henzinger. Quantitative stochastic parity games. In *SODA'04*, pages 114–123. SIAM, 2004.
- [6] A. Condon. The complexity of stochastic games. *Information and Computation*, 96:203–224, 1992.

- [7] C. Courcoubetis and M. Yannakakis. Markov decision processes and regular events. In *ICALP'90*, volume 443 of *LNCS*, pages 336–349. Springer, 1990.
- [8] L. de Alfaro. *Formal Verification of Probabilistic Systems*. PhD Thesis, Stanford University, 1997.
- [9] S. Dziembowski, M. Jurdziński, and I. Walukiewicz. How much memory is needed to win infinite games? In *LICS'97*, pages 99–110. IEEE Computer Society Press, 1997.
- [10] L. de Alfaro and T.A. Henzinger. Concurrent  $\omega$ -regular games. In *LICS'00*, pages 141–154. IEEE Computer Society, 2000.
- [11] K. Etessami and M. Yannakakis Recursive Markov decision processes and recursive stochastic games. In *ICALP'05* vol. 3580 of *LNCS*, pages 891–903. Springer.
- [12] J. Filar and K. Vrieze. *Competitive Markov Decision Processes*. Springer, 1997.
- [13] Y. Gurevich and L. Harrington. Trees, automata, and games. In *STOC'82*, pages 60–65. ACM, 1982.
- [14] P. Hunter and A. Dawar Complexity bounds for regular games. In *MFCS'05* pages 495–506.
- [15] R. Majumdar. *Symbolic algorithms for verification and control*. PhD Thesis, UC Berkeley, 2003.
- [16] Z. Manna and A. Pnueli. *The Temporal Logic of Reactive and Concurrent Systems: Specification*. Springer, 1992.
- [17] D.A. Martin. The determinacy of Blackwell games. *Journal of Symbolic Logic*, 63:1565–1581, 1998.
- [18] A.K. McIver and C.C. Morgan. Games, probability, and the quantitative  $\mu$ -calculus  $q\mu\mu$ . In *LPAR'02*, volume 2514 of *LNAI*, pages 292–310. Springer, 2002.
- [19] D. Niwiński Fixed-point characterization of infinite behavior of finite-state systems. In *Theoretical Computer Science*, 189(1-2): 1–69, 1997.
- [20] A. Pnueli and R. Rosner. On the synthesis of a reactive module. In *POPL'89*, pages 179–190. ACM, 1989.
- [21] T.E.S. Raghavan and J.A. Filar. Algorithms for stochastic games—a survey. *ZOR—Methods and Models of Operations Research*, 35:437–472, 1991.
- [22] P.J. Ramadge and W.M. Wonham. Supervisory control of a class of discrete-event processes. *SIAM Journal of Control and Optimization*, 25:206–230, 1987.
- [23] W. Thomas. Languages, automata, and logic. In *Handbook of Formal Languages*, volume 3 (*Beyond Words*), pages 389–455. Springer, 1997.
- [24] W. Zielonka Infinite games on finitely coloured graphs with applications to automata on infinite trees. In *Theoretical Computer Science*, 200(1-2): 135–183, 1998.

- [25] W. Zielonka. Perfect-information stochastic parity games. In *FoSSaCS'04*, volume 2987 of *LNCS*, pages 499–513. Springer, 2004.

## Appendix

**Theorem 10 ([3])** *The family of randomized memoryless strategies suffices for almost-sure winning with respect to upward closed objectives on 2<sup>1/2</sup>-player game graphs.*

**Proof.** Consider a 2<sup>1/2</sup>-player game graph  $G$  and the game  $(G, C, \chi, \mathcal{F})$  with an upward closed objective  $\Phi = \text{M\"uller}(\mathcal{F})$  for player 1, i.e.,  $\mathcal{F}$  is upward closed. Let  $W_1 = \langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi)$  be the set of almost-sure winning states for player 1 in  $G$ . We have  $S \setminus W_1 = \langle\langle 2 \rangle\rangle_{\text{pos}}(\overline{\Phi})$  and hence any almost-sure winning strategy for player 1 ensures that from  $W_1$  the set  $S \setminus W_1$  is not reached with positive probability. Hence we only require to consider strategies  $\sigma$  for player 1 such that for all  $w \in W_1^*$  and  $s \in W_1$  we have  $\text{Supp}(\sigma(w \cdot s)) \subseteq W_1$ . Consider a randomized memoryless strategy  $\sigma$  for player 1 such that for a state  $s \in W_1$  it chooses uniformly at random all successors in  $W_1$ . Observe that for a state  $s \in (S_2 \cup S_\bigcirc) \cap W_1$  we have  $E(s) \subseteq W_1$ ; otherwise  $s$  would not have been in  $W_1$ . Consider the MDP  $G_\sigma \upharpoonright W_1$ . Since it is a player-2 MDP with the M\"uller objective  $\overline{\Phi}$  and randomized memoryless optimal strategies exist in MDPs [3], we fix a memoryless counter-optimal strategy  $\pi$  for player 2 in  $G_\sigma \upharpoonright W_1$ . Now consider the player-1 MDP  $G_\pi \upharpoonright W_1$ . Consider a memoryless strategy  $\sigma'$  in  $G_\pi \upharpoonright W_1$ . We first present an observation: since the strategy  $\sigma$  chooses all successors in  $W_1$  uniformly at random and for all  $s \in W_1 \cap S_1$  we have  $\text{Supp}(\sigma'(s)) \subseteq \text{Supp}(\sigma(s))$ , it follows that for every closed recurrent set  $U'$  in the Markov chain  $G_{\sigma',\pi} \upharpoonright W_1$  there is a closed recurrent set  $U$  in the Markov chain  $G_{\sigma,\pi} \upharpoonright W_1$  with  $U' \subseteq U$ . We now prove that  $\sigma$  is an almost-sure winning strategy by showing that all recurrent set of states  $U$  in  $G_{\sigma,\pi} \upharpoonright W_1$  is winning for player 1, i.e.,  $\chi(U) \in \mathcal{F}$ . Assume towards contradiction, there is a closed recurrent set  $U$  in  $G_{\sigma,\pi} \upharpoonright W_1$  with  $\chi(U) \notin \mathcal{F}$ . Consider the player-1 MDP  $G_\pi \upharpoonright W_1$ . Since randomized memoryless optimal strategies exist in MDPs [3], we fix a memoryless counter-optimal strategy  $\sigma'$  for player 1. By observation for any closed recurrent set  $U'$  in  $G_{\sigma',\pi}$  such that  $U' \cap U \neq \emptyset$  we have  $U' \subseteq U$ ; and moreover,  $\chi(U') \subseteq \chi(U)$  and  $\chi(U') \notin \mathcal{F}$ , since  $\mathcal{F}$  is upward closed and  $\chi(U) \notin \mathcal{F}$ . It then follows that player 2 wins with probability 1 in from a non-empty set  $U'$  (a closed recurrent set  $U' \subseteq U$ ) of states in the Markov chain  $G_{\sigma',\pi}$ . Since  $\pi$  is a fixed strategy for player 2 and the strategy  $\sigma'$  is counter-optimal for player 1, this contradicts that  $U' \subseteq U \subseteq \langle\langle 1 \rangle\rangle_{\text{almost}}(\Phi)$ . It follows that every closed recurrent set  $U$  in  $G_{\sigma,\pi} \upharpoonright W_1$  is winning for player 1 and the result follows. ■